



# MAI4 - Property Information

Global Messages in **MSGovern V6**

**Release 6.0 Version 1**

Last Revision Update: 2014/04/08

## Version History

Version	Date	Modify By	Description
1.0	2014/04/08	Eric Plante	Create document
1.1	2014/04/15	Eric Plante	Add Roll Forward
1.2	2014/06/05	Eric Plante	Add BED print screens

## Table of Contents

Version History.....	2
Summary .....	4
Description.....	4
Database .....	4
Functionalities.....	4
Classes.....	5
Implementation .....	5
UI.....	7
Query .....	12
Expressions.....	13
IET.....	13
Mobile .....	13
Security .....	13
Scenario.....	13

## Summary

Apply CAMA property information functionalities.

## Description

Property Information contains fields to override based on some conditions; overridden fields needs a visual cue. It also contains a Copy to next year functionality that does what it says.

## Database

MA\_Master  
MA\_Income  
MA\_Override  
PC\_GENEALOGY

Mass Appraisal Tables copied to next year :

MA\_CA\_VAL\_TRACKING, MA\_INC\_INFO, MA\_INC\_SIMULATION,  
MA\_INCOME, MA\_INCOME\_2, MA\_INCOME\_3, MA\_INCOME\_4, MA\_INCOME\_5,  
MA\_INCOME\_6, MA\_INCOME\_7, MA\_INCOME\_8, MA\_INCOME\_9,  
MA\_LAND, MA\_LAND\_2, MA\_LAND\_3, MA\_LAND\_4, MA\_LAND\_5, MA\_LAND\_6,  
MA\_LAND\_7, MA\_LAND\_8, MA\_LAND\_9,  
MA\_LD\_INFO, MA\_LK\_EXEMPTIONS, MA\_LK\_INC\_FIELD, MA\_MASTER,  
MA\_MISC\_STRUCTURES,  
MA\_MRA, MA\_MRA\_2, MA\_MRA\_3, MA\_MRA\_4, MA\_MRA\_5, MA\_MRA\_6, MA\_MRA\_7,  
MA\_MRA\_8, MA\_MRA\_9,  
MA\_NY\_AG, MA\_NY\_CODE, MA\_OVERRIDE, MA\_PA\_LAND, MA\_SITE,  
MA\_VALUES\_TABLE, MA\_BLDG\_AREA,  
MA\_BUILDINGS, MA\_BUILDINGS\_2, MA\_BUILDINGS\_3, MA\_BUILDINGS\_4,  
MA\_BUILDINGS\_5, MA\_BUILDINGS\_6, MA\_BUILDINGS\_7, MA\_BUILDINGS\_8,  
MA\_BUILDINGS\_9,  
MA\_BLDG\_INFO, MA\_BLDG\_DRAWING, PC\_AREA, PC\_LEGAL\_INFO

## Functionalities

Copy to next year Mass Appraisal Tables for Current Year + 1

Override several values (see Classes for more detail)

Only one entity can be created.

### Roll Forward

- Override GovernFunctionCode to return MA\_Property\_Info from enumGovernFunctionCode in BR\_CO\_General. that will tell the functionality to do the roll forward for value overrides
- Overrides the KeyIdName to return the code for the governed Parcel (P\_ID)

## Daemon Data Recalculation

- Set AllowComputeData to True which is the default for MA so no need to do anything specific.

Some overridable fields from MA\_Override have a visual cue that they were overridden. **This is not currently possible to do but as soon as it is available, the code will have to be updated consequently.**

## Classes

### Implementation

#### MA\_PropertyInformation\_Controller

- OnSaving (was SaveMassAppraisallInformation from Property\_OFActions)
  - o Compute the default percentage for Correlated Percentage attributes
    - If at least one attribute got a value, the default is 0
    - Otherwise, it is the (100 / #PCT attributes)
  - o Validate that the total percentage for correlated values is 100%
  - o Compute the default percentage for Mixed Used Percentage attributes (And only percentages)
    - If at least one attribute got a value, the default is 0
    - Otherwise, it is the (100 / #PCT attributes)
  - o Validate that the total percentage for Mixed Used Percentage values is 100%
  - o If METHOD\_IN\_USE changed
    - Ask the user if he is sure he wants to save
      - If not, cancel save entirely
- GetRequiredAttributes
  - o Frozen\_id, Year\_ID, P\_ID
  - o Mixed Used Percentage
    - MIXED\_USE\_OVERRIDE
    - PCT\_MIX\_COMMERCIAL
    - PCT\_MIX\_EXEMPT
    - PCT\_MIX\_RESIDENT
    - PCT\_MIX\_INDUSTRIAL
    - PCT\_MIX\_OPEN\_SPACE
    - RESIDENTIAL\_VALUE
    - COMMERCIAL\_VALUE
    - OPEN\_SPACE\_VALUE
    - INDUSTRIAL\_VALUE
    - EXEMPT\_VALUE
  - o Correlated Values
    - OVERRIDE\_PCT\_DIST

- PCT\_CAMA\_VALUE
- PCT\_SALE\_VALUE
- PCT\_MRA\_VALUE
- PCT\_INC\_DIR\_VALUE
- PCT\_INC\_GRM\_VALUE
- Increase / Decrease Values
  - INC\_DEC\_OVERRIDE
  - EQUALIZATION\_INC
  - EQUALIZATION\_DEC
  - PHYSICAL\_DEC
  - PHYSICAL\_INC
- METHOD\_IN\_USE
- Overridable fields (from MA\_Overrides)
  - LAND\_VALUE
  - LAND\_AG\_VALUE
  - BLDG\_VALUE
  - MISC\_VALUE
  - INCOME\_GRM\_VALUE
  - INCOME\_DIR\_VALUE
  - COMP\_SALES\_VALUE
- EXCLUDE\_FROM\_ROLL
- OnCurrentItemChanged
  - If the entity is not empty, disable the create action.
  - If BR\_MA\_ParamOrganization.ComputeIncreaseDecrease flag is :
    - True
      - Enable INC\_DEC\_OVERRIDE
      - Get INC\_DEC\_OVERRIDE value
        - If True, enable all associated Attributes
        - If False, disable all associated Attributes
      - Monitor INC\_DEC\_OVERRIDE, when it changes, apply the override logic.
    - Otherwise disable INC\_DEC\_OVERRIDE and all associated Attributes
  - Get PC\_LEGAL\_INFO
    - If PropertyType = 0
      - Enable MIXED\_USE\_OVERRIDE
      - Get MIXED\_USE\_OVERRIDE value
        - If True, enable all associated Attributes
        - If False, disable all associated Attributes
      - Monitor MIXED\_USE\_OVERRIDE, when it changes, apply the override's logic.
    - Otherwise, disable MIXED\_USE\_OVERRIDE and all associated Attributes.
  - Get Values from MA\_Override

- All Overridable fields (fields with values in MA\_OVERRIDE) get their visual cue active.
- Get METHOD\_IN\_USE value
  - If 5, Get OVERRIDE\_PCT\_DIS value
    - If True, enable all associated attributes
    - If False, disable all associated attributes
  - Monitor OVERRIDE\_PCT\_DIS, when it changes, apply the override's logic.
- OnInitialize
  - Monitor METHOD\_IN\_USE
    - If 5, enable OVERRIDE\_PCT\_DIS and all Correlated attributes
    - Otherwise, disable OVERRIDE\_PCT\_DIS and all Correlated attributes
- CopyToNextYear Action Button
  - The button is disabled if frozen\_id <> 0 and also if the form is modified
  - The functionality is not perform when :
    - There are active Split Merge parcels in pc\_genealogy
    - If ma\_overrides have expired values and the registry flag is On
      - The flag is in section Mass Appraisal and the key is "do not copy override to next year"
  - If the functionality is performed, some mass appraisal tables get copied with a year = year + 1. See DataBase section for a list of MA tables that are copied.
- Roll Forward
  - Override GovernFunctionCode to return BR\_CO\_General.enumGovernFunctionCode.MA\_PropertyInfo enum that will tell the functionality to do the roll forward for Property Information
  - Overrides the KeyIdName to return the code for the governed Parcel (P\_ID)

## UI

BED

**Govern Business Entity Designer**

**ENTITY ( MA\_PropInfo )**

**List of Attributes**

Attribute	Data Type	Is PrimaryKey	Is Required	Datasource	Table	Column
BUILDING_DIR	Real	False	False	UC2013	MA_MASTER	OVERRIDE_P
BUILDING_GRM	Real	False	False	UC2013	MA_MASTER	OVR_INCOM
OVERRIDE_PCT_I	Int	False	False	UC2013	MA_MASTER	PCT_ID
OVR_INCOME_D	Int	False	False	UC2013	MA_MASTER	PCT_INCOME_D
OVR_INCOME_G	Int	False	False	UC2013	MA_MASTER	PCT_INCOME_G
P_ID	Int	True	True	UC2013	MA_MASTER	PCT_MIX_COMM
PCT_CAMA_VALI	Real	False	False	UC2013	MA_MASTER	PCT_CAMA_VALI
PCT_INC_DIR_VA	Real	False	False	UC2013	MA_MASTER	PCT_MIX_EXEMPT
PCT_INC_GRML_V	Real	False	False	UC2013	MA_MASTER	PCT_MIX_INDUS
PCT_MIX_COMM	Real	False	False	UC2013	MA_MASTER	PCT_MIX_OPEN
PCT_MIX_EXEMPT	Real	False	False	UC2013	MA_MASTER	PCT_MIX_RESIDE
PCT_MIX_INDUS	Real	False	False	UC2013	MA_MASTER	PCT_MRA_VALUE
PCT_MIX_OPEN_	Real	False	False	UC2013	MA_MASTER	PCT_SALE_VALUE
PCT_MIX_RESIDE	Real	False	False	UC2013	MA_MASTER	PENDING_CHAN
PCT_MRA_VALUEI	Real	False	False	UC2013	MA_MASTER	PHYSICAL_DEC
PCT_SALE_VALUEI	Real	False	False	UC2013	MA_MASTER	PHYSICAL_INC
PENDING_CHAN	Int	False	False	UC2013	MA_MASTER	PP_VALUE
PHYSICAL_DEC	Real	False	False	UC2013	MA_MASTER	PRC_RNTF
PHYSICAL_INC	Real	False	False	UC2013	MA_MASTER	
PP_VALUE	Real	False	False	UC2013	MA_MASTER	
PRC_RNTF	Text	False	False	UC2013	MA_MASTER	

**Properties**

**1 - Basic Data Settings**

- ATTRIBUTE: BUILDING\_DIR
- Data Type: Real
- Length: 8
- Default Value: None
- Is PrimaryKey: False
- Is Required: False
- Calculated Val: True
- Lookup Value: False
- Encrypted Val: False
- Is Searchable: False
- Special Attrbu: None

**2 - Calculated Field Data Settings**

- Expression Typ: Expression
- Expression val: ISNULL(@attrINCOME\_DIR\_VALUE, 0) - ISNULL(@attrLAND\_VALUE, 0)

**Validation Rules for Current Attribute: BUILDINGDIR**

Validation ID	Rule Name	Engine Type	Expression	Is Shared

**ATTRIBUTE**

**Govern Business Entity Designer**

**ENTITY ( MA\_PropInfo )**

**List of Attributes**

Attribute	Data Type	Is PrimaryKey	Is Required	Datasource	Table	Column
BUILDING_DIR	Real	False	False			
BUILDING_GRM	Real	False	False			
BUILDING_MRA	Real	False	False			
OVERRIDE_PCT_I	Int	False	False	UC2013	MA_MASTER	OVERRIDE_P
OVR_INCOME_D	Int	False	False	UC2013	MA_MASTER	OVR_INCOM
OVR_INCOME_G	Int	False	False	UC2013	MA_MASTER	OVR_INCON
P_ID	Int	True	True	UC2013	MA_MASTER	P_ID
PCT_CAMA_VALI	Real	False	False	UC2013	MA_MASTER	PCT_CAMA_
PCT_INC_DIR_VA	Real	False	False	UC2013	MA_MASTER	PCT_INC_DIR
PCT_INC_GRML_V	Real	False	False	UC2013	MA_MASTER	PCT_INC_GR
PCT_MIX_COMM	Real	False	False	UC2013	MA_MASTER	PCT_MIX_CC
PCT_MIX_EXEMP	Real	False	False	UC2013	MA_MASTER	PCT_MIX_EX
PCT_MIX_INDUS	Real	False	False	UC2013	MA_MASTER	PCT_MIX_IN
PCT_MIX_OPEN_	Real	False	False	UC2013	MA_MASTER	PCT_MIX_OF
PCT_MIX_RESIDE	Real	False	False	UC2013	MA_MASTER	PCT_MIX_RE
PCT_MRA_VALUEI	Real	False	False	UC2013	MA_MASTER	PCT_MRA_V
PCT_SALE_VALUEI	Real	False	False	UC2013	MA_MASTER	PCT_SALE_V
PENDING_CHAN	Int	False	False	UC2013	MA_MASTER	PENDING_C
PHYSICAL_DEC	Real	False	False	UC2013	MA_MASTER	PHYSICAL_D
PHYSICAL_INC	Real	False	False	UC2013	MA_MASTER	PHYSICAL_IN
PP_VALUE	Real	False	False	UC2013	MA_MASTER	PP_VALUE
PRC_RNTIF	Text	False	False	UC2013	MA_MASTER	PRC_RNTIF

**Properties**

**1 - Basic Data Settings**

- ATTRIBUTE: BUILDING\_GRM
- Data Type: Real
- Length: 8
- Default Value: None
- Is PrimaryKey: False
- Is Required: False
- Calculated Val: True
- Lookup Value: False
- Encrypted Val: False
- Is Searchable: False
- Special Attrbu: None

**2 - Calculated Field Data Settings**

- Expression Typ: Expression
- Expression val: ISNULL(@attrINCOME\_G

**3 - Data Mapping Settings**

- DataMapping: None

**4 - Displaying Settings**

- Label (EN): Building Residual GRM
- Label (FR): Building Residual GRM

**5 - Help Settings**

- Help (EN):
- Help (FR):

**Validation Rules for Current Attribute: BUILDINGGRM**

Validation ID	Rule Name	Engine Type	Expression	Is Shared

**ATTRIBUTE**

Govern Business Entity Designer

ENTITY ( MA\_Proplinfo )

List of Attributes

Attribute	Data Type	Is PrimaryKey	Is Required	Datasource	Table	Column
BUILDING_DIR	Real	False	False			
<b>BUILDING_GRM</b>	Real	False	False			
<b>BUILDING_MRA</b>	Real	False	False			
OVERRIDE_PCT_I	Int	False	False	UC2013	MA_MASTER	OVERRIDE_P
OVR_INCOME_D	Int	False	False	UC2013	MA_MASTER	OVR_INCOM
OVR_INCOME_G	Int	False	False	UC2013	MA_MASTER	OVR_INCON
P_ID	Int	True	True	UC2013	MA_MASTER	P_ID
PCT_CAMA_VALU	Real	False	False	UC2013	MA_MASTER	PCT_CAMA_
PCT_INC_DIR_VA	Real	False	False	UC2013	MA_MASTER	PCT_INC_DIF
PCT_INC_GRM_V	Real	False	False	UC2013	MA_MASTER	PCT_INC_GR
PCT_MIX_COMM	Real	False	False	UC2013	MA_MASTER	PCT_MIX_CC
PCT_MIX_EXEMP	Real	False	False	UC2013	MA_MASTER	PCT_MIX_EX
PCT_MIX_INDUS	Real	False	False	UC2013	MA_MASTER	PCT_MIX_IN
PCT_MIX_OPEN_	Real	False	False	UC2013	MA_MASTER	PCT_MIX_OF
PCT_MIX_RESIDE	Real	False	False	UC2013	MA_MASTER	PCT_MIX_RE
PCT_MRA_VALUI	Real	False	False	UC2013	MA_MASTER	PCT_MRA_V
PCT_SALE_VALUI	Real	False	False	UC2013	MA_MASTER	PCT_SALE_V
PENDING_CHAN	Int	False	False	UC2013	MA_MASTER	PENDING_C
PHYSICAL_DEC	Real	False	False	UC2013	MA_MASTER	PHYSICAL_D
PHYSICAL_INC	Real	False	False	UC2013	MA_MASTER	PHYSICAL_IN
PP_VALUE	Real	False	False	UC2013	MA_MASTER	PP_VALUE
PPC_PCHITE	Text	False	False	UC2013	MA_MASTER	PPC_PCHITE

Properties

- 1 - Basic Data Settings
 

ATTRIBUTE	BUILDING_MRA
Data Type	Real
Length	8
Default Value	None
Is PrimaryKey	False
Is Required	False
Calculated Val	True
Lookup Value	False
Encrypted Val	False
Is Searchable	False
Special Attrbu	None
- 2 - Calculated Field Data Settings
 

Expression Typ	Expression
Expression val.	ISNULL(@attrMRA_VALUE, 0) - ISNULL(@attrLAND_VALUE, 0)
- 3 - Data Mapping Settings
 

Data Mapping	None
--------------	------
- 4 - Displaying Settings
 

Label (EN)	Building Residual MRA
Label (FR)	Building Residual MRA
- 5 - Help Settings
 

Help (EN)	
Help (FR)	

Validation Rules for Current Attribute: BUILDINGMRA

Validation ID	Rule Name	Engine Type	Expression	Is Shared

Model Explorer

- Activities
- Additional Company Info
- Additional Name Info
- Animal Licenses
- Approvals
- Bankruptcy
- BENCAMA001
- BLDG Area Year Built
- Bonds
- Building Information
- Building Permits
- Buildings Link to Insp
- Buildings Link to Permits
- Buildings Link to ST Act
- Business License
- CAMA Audit
- CAMA BSE
- CAMA Building Area
- CAMA Drawing APEX
- CAMA Drawing AVAX
- CAMA Exemptions
- CAMA Fair Market Value
- CAMA Income
- CAMA Info / Area / Legal
- CAMA Land
- CAMA Misc. Structures
- CAMA Property History
- CAMA Property Info
- CAMA Sales
- CAMA Sites
- CAMA Sites History
- CAMA Sites Values
- CAMA Value Override
- Common Site
- Complaints
- Complaints Link to Insp
- Conditions
- Copy of Building Permits
- Decisions
- Departments Link to Insp
- Departments Link to PM
- Departments Link to ST
- Deposit Management
- Electrical Permits
- Empty Entity
- Empty Entity 2
- Events
- File Validation Examples
- Business Entities
- Business Models
- Shared Validation Rules

V 6.0.0 - UC2013\_ZZR9CZ1\_SQL

## OFD

### Add a controller to Property Information Form

- Project MsGovern.OpenForms.CustomControls
- Class MA\_PropertyInformation\_Control

Open Forms Designer

English (Canada) Search current form

Entities

- CAMA Property Info (Root)
- CAMA Property History New!
- CAMA Value Override New!

Controls

- Label
- Link
- Action button
- Custom control
- Row or column
- Grid
- Groupbox
- Tab item
- Custom entity

Property Information X

CAMA Property Info			
Method In Use	Method In Use	Mixed Use Override	<input type="checkbox"/> Mixed Use Override
Override Pct Dist	<input type="checkbox"/> Override Pct Dist	Pct Mix Commercial	<input type="checkbox"/> Pct Mix Commercial
Pct Cama Value	<input type="checkbox"/> Pct Cama Value	Pct Mix Exempt	<input type="checkbox"/> Pct Mix Exempt
Percentage MRA Value	<input type="checkbox"/> Percentage MRA Value	Pct Mix Resident	<input type="checkbox"/> Pct Mix Resident
Pct Sale Value	<input type="checkbox"/> Pct Sale Value	Pct Mix Industrial	<input type="checkbox"/> Pct Mix Industrial
Pct Inc Dir Value	<input type="checkbox"/> Pct Inc Dir Value	Pct Mix Open Space	<input type="checkbox"/> Pct Mix Open Space
Pct Inc Grm Value	<input type="checkbox"/> Pct Inc Grm Value	Residential Value	<input type="checkbox"/> Residential Value
		Commercial Value	<input type="checkbox"/> Commercial Value
Inc Dec Override	<input type="checkbox"/> Inc Dec Override	Open Space Value	<input type="checkbox"/> Open Space Value
Equalization Inc	<input type="checkbox"/> Equalization Inc	Industrial Value	<input type="checkbox"/> Industrial Value
Equalization Dec	<input type="checkbox"/> Equalization Dec	Exempt Value	<input type="checkbox"/> Exempt Value
Physical Dec	<input type="checkbox"/> Physical Dec		
Physical Inc	<input type="checkbox"/> Physical Inc	Exclude From Roll	<input type="checkbox"/> Exclude From Roll
Land Value	<input type="checkbox"/> Land Value	Land Ag Value	<input type="checkbox"/> Land Ag Value
Bldg Value	<input type="checkbox"/> Bldg Value	Misc Value	<input type="checkbox"/> Misc Value
Income Grm Value	<input type="checkbox"/> Income Grm Value	Income Dir Value	<input type="checkbox"/> Income Dir Value
		Comp Sales Value	<input type="checkbox"/> Comp Sales Value
P Id	<input type="checkbox"/> P Id		
Year Id	<input type="checkbox"/> Year Id		
Frozen Id	<input type="checkbox"/> Frozen Id		
Appraiser	<input type="checkbox"/> Appraiser		
Personal Property Value	<input type="checkbox"/> Personal Property Value	AddIbm	<input type="checkbox"/> AddIbm

Properties

Entity tab item

Controller Controller MsGovern.OpenForms.Cu... X

Controller properties

- Height
- Horizontal alignment Stretch
- Vertical alignment Stretch
- Width

Misc

- Configuration Click to edit
- Name MA\_PropInfo
- Record description
- Tab sequence number
- Text CAMA Property Info

Configuration

V 6.0.0.0 - UC2013\_TACOMASQL2008R2\_SQL

Entity configuration

Attributes		Filters by system ID	
Add_IBM		Attribute	System ID
Appraised Date		P Id	parcel id
Appraised Value		Year Id	year id
Appraiser		Frozen Id	frozen id
Base_impr_value			
Base_land_value			
Base_total_value			
Bldg Value			
Building Residual DIR			
Building Residual GRM			
Building Residual MRA			
Cama Value			
Change Reason			
Commercial Value			
Comp Sales Value			
Compute Building			
Compute Income			
Compute Land			
Compute Miscellaneous Str			
Compute MRA			
Compute PA Land			
Compute Personal Property			
Culldifflevl			
Eligible Value			
Equalization Dec			
Equalization Inc			
Exclude From Roll			
Exempt Value			
Frozen Id			
History Only			
Hold Reason Code			
Inc Dec Override			

  

Filters by constants		
Attribute	Operator	Constant

  

Order by	
Attribute	Direction

  

Reposition	
Attribute	System ID

  

ID setters	
Attribute	System ID
Frozen Id	frozen id
P Id	parcel id
Year Id	year id

  

## Query

If the PC legal information form is not available yet, use the following queries to test Mixed Used Override.

```

select property_type, * from pc_legal_info where p_id = <p_id> and year_id = <year_id>
and frozen_id = 0

update pc_legal_info
set property_type = '0'
where p_id = <p_id> and year_id = <year_id> and frozen_id = 0

update pc_legal_info
set property_type = <previous property type>
where p_id = <p_id> and year_id = <year_id> and frozen_id = 0

```

## Expressions

BUILDING\_DIR: ISNULL(@attrINCOME\_DIR\_VALUE, 0) - ISNULL(@attrLAND\_VALUE, 0)  
 BUILDING\_GRM: ISNULL(@attrINCOME\_GRM\_VALUE, 0) - ISNULL(@attrLAND\_VALUE, 0)  
 BUILDING\_MRA: ISNULL(@attrMRA\_VALUE, 0) - ISNULL(@attrLAND\_VALUE, 0)

## IET

## Mobile

## Security

### Scenario

Case 1 : Search for a parcel without a MA Property Information created.

- Click new
- Select a Method in Use
- Save
  - o A message appear, click Cancel to see that the state doesn't change; save again and click OK.
  - o New Button becomes disabled

Case 2 : Close and reopen Govern to see that the record is recovered correctly and the New button is still disabled.

Case 3 : Method In Use

- If 5(Correlated Values), Enable OVERRIDE\_PCT\_DIST.
  - o Checking OVERRIDE\_PCT\_DIST must enable all Correlated Attributes. Unchecking them will disable them
- Correlated Attributes are PCT\_CAMA\_VALUE, PCT\_MRA\_VALUE, PCT\_SALE\_VALUE, PCT\_INC\_DIR\_VALUE, PCT\_INC\_GRM\_VALUE

Case 4 : Check INC\_DEC\_OVERRIDE to enable all Increase Decrease Attributes, disable them otherwise.

- Inc / dec attributes are EQUALIZATION\_INC, EQUALIZATION\_DEC, PHYSICAL\_DEC, PHYSICAL\_INC

Case 5 : Check MIXED\_USE\_OVERRIDE to enable all Mixed Override Attributes, disable them otherwise.

- If **MIXED\_USE\_OVERRIDE** is disabled, you have to change the Property Type of PC Legal Information form to 0 first. If the form is not yet available, look at the query section to do the change manually.
- Mixed Use attributes are PCT\_MIX\_COMMERCIAL, PCT\_MIX\_EXEMPT, PCT\_MIX\_RESIDENT, PCT\_MIX\_INDUSTRIAL, PCT\_MIX\_OPEN\_SPACE, RESIDENTIAL\_VALUE, OPEN\_SPACE\_VALUE, INDUSTRIAL\_VALUE, EXEMPT\_VALUE

Case 6 : Exclude From Roll Is always disabled

Case 7 :

- Check OVERRIDE\_PCT\_DIST
- Save
- All correlated values should be set to 20

Case 8 :

- Check OVERRIDE\_PCT\_DIST
- Blank all correlated values
- Set 50 to PCT\_CAMA\_VALUE
- Save (gives an error)
- Set 50 PCT\_MRA\_VALUE
- Save (Success)

Case 9 :

- Check MIXED\_USE\_OVERRIDE
- Save
- All PCT Mixed use attributes should be set to 20
  - o PCT\_MIX\_COMMERCIAL, PCT\_MIX\_EXEMPT, PCT\_MIX\_RESIDENT, PCT\_MIX\_INDUSTRIAL, PCT\_MIX\_OPEN\_SPACE

Case 10 :

- Check OVERRIDE\_PCT\_DIST
- Blank all mixed use attributes
- Set 50 to PCT\_MIX\_COMMERCIAL
- Save (gives an error)
- Set 50 PCT\_MIX\_RESIDENT
- Save (Success)

Case 11 : **Test visual cue when available.**

Case 12 : Test the Daemon

- Check use\_Daemon to see that created records are there

**Case 13 : Test Roll Forward**

- Change year for 2013
- Change a value and save
- Click Yes in the roll forward popup
- Check the result in usr\_audit\_trail for the parcel

**Copy To Next Year**

**Case 1 : Copy to next year enability**

- Search for a record.
- Change something on the form (The button is disabled)
- Save or cancel your changes (the button is enabled)
- Open the data for frozen\_Id other then 0 from the history panel (the button is disabled)

**Case 2 : Copy To Next Year vs Active Split Merge**

- Select a record for frozen id 0 that has active split merge in pc\_genealogy.
  - o Pc\_Genealogy.Tran\_Completed = null or <> -1
  - o Pc\_Genealogy.id\_new = parcel\_id or pc\_genealogy.id\_old = parcel\_id
- Click Copy To Next Year button (a message pop to cancel the action)

**Case 3 : Copy To Next Year vs Expired MA\_OVERRIDE**

- Set registry flag “mass appraisal”, “do not copy override to next year” to True in GNA
- Select a record for :
  - o frozen\_id 0
  - o that doesn’t have an active split merge
  - o has expired values in table MA\_OVERRIDE for the record.
    - Ma\_Override.Ending\_year < year\_id + 1
- Click Copy To Next Year (a message pop to cancel the action)

**Case 4 : Copy to next year vs Active MA\_OVERRIDE**

- Select a record for :
  - o frozen\_id 0
  - o that doesn’t have an active split merge
  - o no expired values in table MA\_OVERRIDE for the record (or no record in MA\_OVERRIDE).
- Click Copy to Next Year (a confirmation message pop)
- Click Cancel

**Case 5 : Do Copy To Next Year**

- Set registry flag “mass appraisal”, “do not copy override to next year” to False in GNA
- Click Copy To Next Year (a confirmation message pop)
- Click Ok
- Open the history panel (Year + 1 should be there)
- Double click on year + 1 row (records should be refreshed)