

CHANGES TO GOVERN DATABASE

NOTE: Updates since last revision are highlighted in GREEN

Aircraft			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
AC_ASSESSMENT	AC_ASSESSMENT	AC_ASSESSMENT	
AC_ASSESSMENT_DET	AC_ASSESSMENT_DET	AC_ASSESSMENT_DET	
NULL	AC_AUDIT_INFO	AC_AUDIT_INFO	
AC_EQUIP_DET	AC_EQUIP_DET	AC_EQUIP_DET	
AC_EXEMPTIONS	AC_EXEMPTIONS	AC_EXEMPTIONS	
AC_LEVY_MASTER	AC_LEVY_MASTER	AC_LEVY_MASTER	
AC_LK_LEVY_EXEMPT	AC_LK_LEVY_EXEMPT	AC_LK_LEVY_EXEMPT	
AC_MFG	AC_MFG	AC_MFG	
AC_MODEL	AC_MODEL	AC_MODEL	
AC_MODIF_STAMP	AC_MODIF_STAMP	AC_MODIF_STAMP	
AC_PARM_DEPR	AC_PARM_DEPR	AC_PARM_DEPR	
AC_PARM_EX_GROUP	AC_PARM_EX_GROUP	AC_PARM_EX_GROUP	
AC_PARM_EXEMPT	AC_PARM_EXEMPT	AC_PARM_EXEMPT	
AC_PARM_LEVY	AC_PARM_LEVY	AC_PARM_LEVY	
AC_PARM_LK_EXEMPT	AC_PARM_LK_EXEMPT	AC_PARM_LK_EXEMPT	
AC_PARM_TAX_CODE	AC_PARM_TAX_CODE	AC_PARM_TAX_CODE	
AC_POST_MASTER	AC_POST_MASTER	AC_POST_MASTER	

Accounts Receivable (AR)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
AR_ABATEMENT	AR_ABATEMENT	AR_ABATEMENT	
AR_BATCH_NO	AR_BATCH_NO	AR_BATCH_NO	
NULL	AR_DEPOSIT_LK_TYPE	AR_DEPOSIT_LK_TYPE	
AR_DETAIL	AR_DETAIL	AR_DETAIL	
AR_DETAIL_APPLIED	AR_DETAIL_APPLIED	AR_DETAIL_APPLIED	
NULL	AR_DETAIL_LINK	AR_DETAIL_LINK	NEW - ADDED: New field added AMOUNT REASON: To store amount of Penalty or interest computed as due to balance specific LINK_ID (by ninvoice).
NULL	NULL	AR_DETAIL_VOID	
NULL	NULL	AR_ESCROW	
NULL	NULL	AR_ESCROW_DETAIL	
AR_GL_DISTRIBUTION	AR_GL_DISTRIBUTION	AR_GL_DISTRIBUTION	
AR_GL_TRANSACTIONS	AR_GL_TRANSACTIONS	AR_GL_TRANSACTIONS	
AR_LOCKBOX	AR_LOCKBOX	AR_LOCKBOX	
NULL	AR_LOCKBOX_CHARGE	AR_LOCKBOX_CHARGE	
NULL	AR_LOCKBOX_DETAIL	AR_LOCKBOX_DETAIL	
NULL	AR_LOCKBOX_HEADER	AR_LOCKBOX_HEADER	
AR_MASTER	AR_MASTER	AR_MASTER	
AR_MEMO	AR_MEMO	AR_MEMO	
AR_PARM_ABATEMENT	AR_PARM_ABATEMENT	AR_PARM_ABATEMENT	
AR_PARM_CLASS	AR_PARM_CLASS	AR_PARM_CLASS	
NULL	NULL	AR_PARM_ESCROW	
NULL	NULL	AR_PARM_ESCROW_DETAIL	
AR_PARM_GL_ACCNT	AR_PARM_GL_ACCNT	AR_PARM_GL_ACCNT	
AR_PARM_GL_DISTR	AR_PARM_GL_DISTR	AR_PARM_GL_DISTR	
NULL	NULL	AR_PAYMENT_PLAN	NEW - ADDED: Added field ACH_SEQ smallint in AR_Payment_Plan. ADDED: FIRST_PAYMENT_DATE_OV, INITIAL_PAYMENT.
NULL	NULL	AR_PAYMENT_PLAN_INFO	NEW - ADDED: Added field ACH_SEQ smallint in AR_Payment_Plan. ADDED: FIRST_PAYMENT_DATE_OV, INITIAL_PAYMENT.
NULL	NULL	AR_PAYMENT_PLAN_PERIOD	
AR_PAYPLAN	AR_PAYPLAN	NULL	
NULL	NULL	AR_POSTING_DATES	ADDED: for RE, columns POSTING_DATE, IS_CLOSED, LAST_MODIF_UID, LAST_MODIF_DATE. ADDED: to index PK_AR_POSTING_DATES columns POSTING_DATE REASON: added new tables to manage Closing Period and Settlement.
AR_SECURITY_GPID	AR_SECURITY_GPID	AR_SECURITY_GPID	
AR_SECURITY_LINK	AR_SECURITY_LINK	AR_SECURITY_LINK	
AR_SECURITY_UID	AR_SECURITY_UID	AR_SECURITY_UID	
AR_SUMMARY	AR_SUMMARY	AR_SUMMARY	NEW - ADDED: LAST_MODIF_DATE and LAST_MODIF_UID to table
AR_TMP_DETAIL	AR_TMP_DETAIL	AR_TMP_DETAIL	
NULL	NULL	AR_VOID_TRANSACTION	

API		Govern.NET 6.1.1811	
	NULL	USR_RESTAPI_LOG	NEW: Allows logging of REST API calls when using the new action button.

Bankruptcy (BR)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
BR_DETAIL	BR_DETAIL	BR_DETAIL	
BR_LK_NAMES	BR_LK_NAMES	BR_LK_NAMES	
BR_MASTER	BR_MASTER	BR_MASTER	

Boat (BT)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
BT_ASSESSMENT	BT_ASSESSMENT	BT_ASSESSMENT	
NULL	BT_AUDIT_INFO	BT_AUDIT_INFO	
BT_EXEMPTIONS	BT_EXEMPTIONS	BT_EXEMPTIONS	
BT_LEVY_MASTER	BT_LEVY_MASTER	BT_LEVY_MASTER	
BT_LK_LEVY_EXEMPT	BT_LK_LEVY_EXEMPT	BT_LK_LEVY_EXEMPT	
NULL	BT_MA_COMMIT_BOOK	BT_MA_COMMIT_BOOK	
BT_MODIF_STAMP	BT_MODIF_STAMP	BT_MODIF_STAMP	
BT_PARM_DEPR	BT_PARM_DEPR	BT_PARM_DEPR	
BT_PARM_EX_GROUP	BT_PARM_EX_GROUP	BT_PARM_EX_GROUP	
BT_PARM_EXEMPT	BT_PARM_EXEMPT	BT_PARM_EXEMPT	
BT_PARM_LEVY	BT_PARM_LEVY	BT_PARM_LEVY	

BT_PARM_LK_EXEMPT	BT_PARM_LK_EXEMPT	BT_PARM_LK_EXEMPT	
BT_PARM_TAX_CODE	BT_PARM_TAX_CODE	BT_PARM_TAX_CODE	
BT_POST_MASTER	BT_POST_MASTER	BT_POST_MASTER	

Cash Collection (CC)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
CC_ACH_PAYMENT	CC_ACH_PAYMENT	CC_ACH_PAYMENT	
NULL	NULL	CC_CASH_BREAKDOWN	
NULL	CC_CC_WEB	CC_CC_WEB	
CC_CREDITCARD	CC_CREDITCARD	CC_CREDITCARD	
CC_CREDITCARD_EXT	CC_CREDITCARD_EXT	CC_CREDITCARD_EXT	
CC_CREDITCARD_LOG	CC_CREDITCARD_LOG	CC_CREDITCARD_LOG	
NULL	CC_DC_WEB	CC_DC_WEB	
CC_DETAIL	CC_DETAIL	CC_DETAIL	
NULL	NULL	CC_DETAIL_VOID	
NULL	CC_ECHECK_WEB	CC_ECHECK_WEB	
CC_MASTER	CC_MASTER	CC_MASTER	PAYER_NAME - added to CC_MASTER (previously kept in CC_MASTER_NOTES) Govern Ids Batch_ID added to AR Payment Info
CC_MASTER_IMG	CC_MASTER_IMG	CC_MASTER_IMG	
NULL	NULL	CC_MASTER_VOID	
NULL	CC_NELNET	CC_NELNET	
NULL	CC_NELNET_TRANS	CC_NELNET_TRANS	
NULL	CC_NELNET_TRANS_DT	CC_NELNET_TRANS_DT	
NULL	CC_PAYMENTUS	CC_PAYMENTUS	
NULL	CC_PENDING_WEBTRAN	CC_PENDING_WEBTRAN	
NULL	DC_MASTER	DC_MASTER	
GL_TRANSACTIONS	GL_TRANSACTIONS	GL_TRANSACTIONS	

Mass Appraisal (MA)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
MA_APPRAISERS	MA_APPRAISERS	MA_APPRAISERS	
MA_ASSESS_RATE	MA_ASSESS_RATE	MA_ASSESS_RATE	
MA_AUDIT_INFO	MA_AUDIT_INFO	MA_AUDIT_INFO	
MA_BLDG_AREA	MA_BLDG_AREA	NULL	Table replaced by MA_BLDG_AREA_YEAR
NULL	MA_BLDG_AREA_YEAR	MA_BLDG_AREA_YEAR	
		MA_BLDG_AREA_YEAR	LAST_MODIF_UID (from 6.1.1508)
		MA_BLDG_AREA_YEAR	LAST_MODIF_DATE (from 6.1.1508)
		MA_BLDG_AREA_YEAR	MA_BLDG_DRAWING (from 6.1.1508)
		MA_BLDG_AREA_YEAR	APEX_SKETCH_STRING for Apex Base 64 encoded drawing (from 6.1.1508)
		MA_BLDG_AREA_YEAR	LAST_MODIF_UID
		MA_BLDG_AREA_YEAR	LAST_MODIF_DATE (from 6.1.1508)
MA_BLDG_DRAWING	MA_BLDG_DRAWING	MA_BLDG_DRAWING	
MA_BLDG_INFO	MA_BLDG_INFO	NULL	
NULL	MA_BSE_TEMPLATE	MA_BSE_TEMPLATE	
NULL	MA_BSE_TEMPLATE_LK	MA_BSE_TEMPLATE_LK	
MA_BUILDINGS	MA_BUILDINGS	MA_BUILDINGS	
		MA_BUILDINGS	MAF_OVERRIDE_PERCENT - Contains the overridden global adjustment percentage (from 6.1.1508)
		MA_BUILDINGS	TOTAL_VALUE_OVERRIDE - Contains the overridden total value
		MA_BUILDINGS	TEMPLATE_BSE_CD - Column dropped. No longer needed by GNA
		MA_BUILDINGS	TEMPLATE_BSE_VA - Column dropped. No longer needed by GNA (from 6.1.1508)
MA_CA_VAL_TRACKING	MA_CA_VAL_TRACKING	MA_CA_VAL_TRACKING	
MA_COMP_ADDFIELD	MA_COMP_ADDFIELD	MA_COMP_ADDFIELD	
MA_COMP_DESC	MA_COMP_DESC	MA_COMP_DESC	
MA_COMP_RESULT	MA_COMP_RESULT	MA_COMP_RESULT	
MA_INC_INFO	MA_INC_INFO	NULL	
MA_INC_SIMULATION	MA_INC_SIMULATION	NULL	
MA_INCOME	MA_INCOME	MA_INCOME	
		MA_INCOME	RECORD_TYPE - 'e' or 'a' (from 6.1.1508)
		MA_INCOME	LAND_VALUE_OVERRIDE - Contains the overridden land value (from 6.1.1508)
		MA_INCOME	BLDG_VALUE_OVERRIDE - Contains the overridden bldg value (from 6.1.1508)
		MA_INCOME	MISC_VALUE_OVERRIDE - Contains the overridden misc value (from 6.1.1508)
		MA_INCOME	DIR_RATE_OVERRIDE - 0 or -1 if the dir rate is overridden (from 6.1.1508)
		MA_INCOME	DIR_RATE_AMOUNT_OVERRIDE - Contains the overridden dir rate when DIR_RATE_OVERRIDE = -1 (from 6.1.1508)
		MA_INCOME	GRM_RATE_OVERRIDE - 0 or -1 if the grm rate is overridden (from 6.1.1508)
		MA_INCOME	GRM_RATE_AMOUNT_OVERRIDE - Contains the overridden grm rate when GRM_RATE_OVERRIDE = -1 (from 6.1.1508)
		MA_INCOME	GROSS_RENT_PCT_OVERRIDE - Contains the overridden gross rent pct value when GROSS_OVERRIDE = -1 (from 6.1.1508)
		MA_INCOME	RENT_UNITS_OVERRIDE - Contains the overridden rent units value when GROSS_OVERRIDE = -1 (from 6.1.1508)
		MA_INCOME	VACANCY_PCT_OVERRIDE - Contains the overridden vacancy percent when VACANCY_PCT_OV = -1 (from 6.1.1508)
		MA_INCOME	GROSS_EFFECTIVE_OVERRIDE - Contains the overridden gross effective value when OV_GROSS_EFF = -1 (from 6.1.1508)
		MA_INCOME	NET_VALUE_OVERRIDE - Contains the overridden net value when OVERRIDE_NET = -1 (from 6.1.1508)
		MA_INCOME	NET_DIR_OVERRIDE - Contains the overridden DIR value when OVERRIDE_DIR = -1 (from 6.1.1508)
		MA_INCOME	NET_GRM_OVERRIDE - Contains the overridden DIR value when OVERRIDE_GRM = -1 (from 6.1.1508)
		MA_INCOME	GROSS_RENT_VALUE_OVERRIDE - Contains the overridden gross rent value when GROSS_RV_OVERRIDE = -1 (from 6.1.1508)
MA_INCOME_DETAIL	MA_INCOME_DETAIL	MA_INCOME_DETAIL	
MA_LAND	MA_LAND	MA_LAND	
		MA_LAND	ADJ_TOTAL_AG - Contains the land adjustment amount for the Land AG value (from 6.1.1508)
		MA_LAND	TEMPLATE_ADJ_CD - Column dropped. No longer needed by GNA (from 6.1.1508)
		MA_LAND	TEMPLATE_ADJ_AM - Column dropped. No longer needed by GNA (from 6.1.1508)
		MA_LAND	TEMPLATE_ADJ_OV - Column dropped. No longer needed by GNA (from 6.1.1508)
		MA_LAND	TOTAL_VALUE_OVERRIDE - Contains the overridden land value (from 6.1.1508)
		MA_LAND	TOTAL_VALUE_AG_OVERRIDE - Contains the overridden land AG value (from 6.1.1508)
		MA_LAND	AG_OVERRIDE - 0 or -1 if the land AG value is overridden (from 6.1.1508)

MA_LD_INFO	MA_LD_INFO	NULL	Table deprecated; merged into MA_LAND
MA_LINKS_PERCENT	MA_LINKS_PERCENT	MA_LINKS_PERCENT	
MA_LK_EXEMPTIONS	MA_LK_EXEMPTIONS	MA_LK_EXEMPTIONS	
MA_LK_INC_FIELD	MA_LK_INC_FIELD	MA_LK_INC_FIELD	
MA_LK_MODEL_JURISD	MA_LK_MODEL_JURISD	MA_LK_MODEL_JURISD	
NULL	NULL	MA_LOOKUP_GROUP	
		MA_LOOKUP_GROUP	LOOKUP_GROUP_ID - look up group id
		MA_LOOKUP_GROUP	YEAR_ID
		MA_LOOKUP_GROUP	TABLE_NAME - Table Name from MA_TABLES
		MA_LOOKUP_GROUP	LOOKUP_GROUP_TYPE - Look up group type from ma_tables
		MA_LOOKUP_GROUP	JURISDICTION - Jurisdiction Code from pc_parcel
		MA_LOOKUP_GROUP	NBHD - from pc_area
		MA_LOOKUP_GROUP	INC_NBHD - from pc_area
		MA_LOOKUP_GROUP	PROPERTY_TYPE - from ma_parm_buse, luse, muse
		MA_LOOKUP_GROUP	CAMA_CODE - Parameter code being indexed (from 6.1.1508)
		MA_LOOKUP_GROUP	LOOKUP_GROUP - Value to be used in all MA_PARM_XXX tables to replace simulation code (from 6.1.1508)
MA_MASTER	MA_MASTER	MA_MASTER	
		MA_MASTER	MRA_LAND_AMT - New column to sum all land records having INC_MRA = -1 (from 6.1.1508)
		MA_MASTER	MRA_LAND_OV - New column to override the land value to be added to MRA (from 6.1.1508)
		MA_MASTER	MRA_BLDG_AMT - New column to sum all land records having INC_MRA = -1 (from 6.1.1508)
		MA_MASTER	MRA_BLDG_OV - New column to override the land value to be added to MRA (from 6.1.1508)
		MA_MASTER	MRA_MISC_AMT - New column to sum all land records having INC_MRA = -1 (from 6.1.1508)
		MA_MASTER	MRA_MISC_OV - New column to override the land value to be added to MRA (from 6.1.1508)
		MA_MASTER	COMPUTE_LAND - Column dropped (from 6.1.1508)
		MA_MASTER	COMPUTE_PA_LAND - Column dropped (from 6.1.1508)
		MA_MASTER	COMPUTE_INC - Column dropped (from 6.1.1508)
		MA_MASTER	COMPUTE_MISC - Column dropped (from 6.1.1508)
		MA_MASTER	COMPUTE_BLDG - Column dropped
		MA_MASTER	COMPUTE_PP - Column dropped (from 6.1.1508)
		MA_MASTER	COMPUTE_MRA - Column dropped (from 6.1.1508)
MA_MISC_STRUCTURES	MA_MISC_STRUCTURES	MA_MISC_STRUCTURES	
MA_MODIF_STAMP	MA_MODIF_STAMP	MA_MODIF_STAMP	
MA_MRA	MA_MRA	MA_MRA	
		MA_MRA	LAND_VALUE_OVERRIDE - Contains the overridden land value (from 6.1.1508)
		MA_MRA	BLDG_VALUE_OVERRIDE - Contains the overridden bldg. value (from 6.1.1508)
		MA_MRA	MISC_VALUE_OVERRIDE - Contains the overridden misc. value (from 6.1.1508)
		MA_MRA	TOTAL_VALUE_OVERRIDE - Contains the overridden total value (from 6.1.1508)
		MA_MRA	TEMPLATE_MRA_CD - Column dropped (from 6.1.1508)
		MA_MRA	TEMPLATE_MRA_AM - Column dropped
		MA_MRA	TEMPLATE_MRA_OV - Column dropped
NULL	MA_NY_AG	MA_NY_AG	
NULL	MA_NY_CODE	MA_NY_CODE	
NULL	MA_NY_EXTRACT_BLDG	MA_NY_EXTRACT_BLDG	
NULL	MA_NY_EXTRACT_INV	MA_NY_EXTRACT_INV	
NULL	MA_NY_EXTRACT_LAND	MA_NY_EXTRACT_LAND	
NULL	MA_NY_EXTRACT_MISC	MA_NY_EXTRACT_MISC	
NULL	MA_NY_EXTRACT_PM	NULL	
NULL	MA_NY_EXTRACT_SALE	MA_NY_EXTRACT_SALE	
NULL	MA_NY_EXTRACT_SITE	MA_NY_EXTRACT_SITE	
NULL	MA_NY_SPSS	MA_NY_SPSS	
MA_OVERRIDE	MA_OVERRIDE	MA_OVERRIDE	
NULL	MA_PA_LAND	MA_PA_LAND	
NULL	MA_PA_LAND_DETAIL	MA_PA_LAND_DETAIL	
NULL	MA_PA_SOIL_DETAIL	MA_PA_SOIL_DETAIL	
		MA_PARM_XXX (All MA_PARM Tables)	
		MA_PARM_XXX	NBHD_CODE - Column dropped. Now defined in MA_LOOKUP_GROUP
		MA_PARM_XXX	SIMULATION - Column dropped. Now defined in MA_LOOKUP_GROUP (from 6.1.1501)
MA_PARM_BLDGUSE	MA_PARM_BLDGUSE	MA_PARM_BLDGUSE	
NULL	NULL	MA_PARM_BLDGUSE_AREA	
MA_PARM_BOECKH	MA_PARM_BOECKH	NULL	Table deprecated; dropped
MA_PARM_BRATE	MA_PARM_BRATE	MA_PARM_BRATE	
MA_PARM_DEPR	MA_PARM_DEPR	MA_PARM_DEPR	
		MA_PARM_DEPR	SIMULATION - Column dropped (replaced by LOOKUP_GROUP) (from 6.1.1501)
		MA_PARM_DEPR	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table
		MA_PARM_DEPR	EXCLUDE_VALUE - -1 if this record is not being used (from 6.1.1501)
		MA_PARM_DEPR	USE_DEFAULT_VALUE - -1 if the default value for the lookup group should be used (from 6.1.1501)
MA_PARM_DRAWING	MA_PARM_DRAWING	MA_PARM_DRAWING	
		MA_PARM_DRAWING	SIMULATION - Column dropped (replaced by LOOKUP_GROUP) (from 6.1.1501)
		MA_PARM_DRAWING	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table (from 6.1.1501)
		MA_PARM_DRAWING	EXCLUDE_VALUE - -1 if this record is not being used (from 6.1.1501)
		MA_PARM_DRAWING	USE_DEFAULT_VALUE - -1 if the default value for the lookup group should be used (from 6.1.1501)
		MA_PARM_DRAWING	DRAW_STYLE - Column dropped (from 6.1.1501)
		MA_PARM_DRAWING	DRAW_LWIDTH - Column dropped (from 6.1.1501)
		MA_PARM_DRAWING	PATT_CODE - Column dropped (from 6.1.1501)
		MA_PARM_DRAWING	PATT_BCOL - Column dropped
		MA_PARM_DRAWING	PATT_FCOLD - Column dropped (from 6.1.1508)
		MA_PARM_DRAWING	PATT_SCFC - Column dropped
MA_PARM_EXP_CATEG	MA_PARM_EXP_CATEG	MA_PARM_EXP_CATEG	
MA_PARM_INC_FIELD	MA_PARM_INC_FIELD	NULL	
MA_PARM_INC_SUBCAT	MA_PARM_INC_SUBCAT	MA_PARM_INC_SUBCAT	
MA_PARM_INCADJ	MA_PARM_INCADJ	MA_PARM_INCADJ	
MA_PARM_INCITEM	MA_PARM_INCITEM	MA_PARM_INCITEM	
MA_PARM_INCMODEL	MA_PARM_INCMODEL	NULL	
MA_PARM_INCOME	MA_PARM_INCOME	MA_PARM_INCOME	
NULL	NULL	MA_PARM_INCOME_MODEL	
		MA_PARM_INCOME_MODEL	CLUSTER_CODE - Column dropped

		MA_PARM_INCOME_MODEL	MA_PARM_L_ASSMT - (from 6.1.1501)
		MA_PARM_INCOME_MODEL	PROPERTY_TYPE - Column dropped. Now defined in MA_LOOKUP_GROUP (from 6.1.1501)
MA_PARM_INCQUA	MA_PARM_INCQUA	MA_PARM_INCQUA	
MA_PARM_ITEM_CATEG	MA_PARM_ITEM_CATEG	MA_PARM_ITEM_CATEG	
MA_PARM_L_ASSMT	MA_PARM_L_ASSMT	MA_PARM_L_ASSMT	
MA_PARM_LADJT_LUSE	MA_PARM_LADJT_LUSE	MA_PARM_LADJT_LUSE	
MA_PARM_LADJT_SCHD	MA_PARM_LADJT_SCHD	MA_PARM_LADJT_SCHD	
MA_PARM_LANDADJT	MA_PARM_LANDADJT	MA_PARM_LANDADJT	
		MA_PARM_LANDADJT	SIMULATION - Column dropped (replaced by LOOKUP_GROUP) (from 6.1.1501)
		MA_PARM_LANDADJT	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table (from 6.1.1501)
		MA_PARM_LANDADJT	EXCLUDE_VALUE --1 if this record is not being used (from 6.1.1501)
		MA_PARM_LANDADJT	USE_DEFAULT_VALUE --1 if the default value for the lookup group should be used (from 6.1.1501)
		MA_PARM_LANDADJT	RATE_FORMULA - (from 6.1.1501)
		MA_PARM_LANDADJT	RATE_LOGEXP - (from 6.1.1501)
MA_PARM_LANDRATE	MA_PARM_LANDRATE	MA_PARM_LANDRATE	
MA_PARM_LANDSCHD	MA_PARM_LANDSCHD	MA_PARM_LANDSCHD	
		MA_PARM_LANDSCHD	SIMULATION - Column dropped (replaced by LOOKUP_GROUP) (from 6.1.1501)
		MA_PARM_LANDSCHD	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table
		MA_PARM_LANDSCHD	EXCLUDE_VALUE --1 if this record is not being used (from 6.1.1501)
		MA_PARM_LANDSCHD	USE_DEFAULT_VALUE --1 if the default value for the lookup group should be used (from 6.1.1501)
MA_PARM_LANDUSE	MA_PARM_LANDUSE	MA_PARM_LANDUSE	
		MA_PARM_LANDUSE	SIMULATION - Column dropped (replaced by LOOKUP_GROUP) (from 6.1.1501)
		MA_PARM_LANDUSE	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table
		MA_PARM_LANDUSE	EXCLUDE_VALUE --1 if this record is not being used (from 6.1.1501)
		MA_PARM_LANDUSE	USE_DEFAULT_VALUE --1 if the default value for the lookup group should be used (from 6.1.1501)
MA_PARM_MAF	MA_PARM_MAF	NULL	
MA_PARM_MAFRATE	MA_PARM_MAFRATE	NULL	
MA_PARM_MAROUND	MA_PARM_MAROUND	MA_PARM_MAROUND	
		MA_PARM_MAROUND	SIMULATION - Column dropped (replaced by LOOKUP_GROUP) (from 6.1.1501)
		MA_PARM_MAROUND	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table
		MA_PARM_MAROUND	EXCLUDE_VALUE --1 if this record is not being used (from 6.1.1501)
		MA_PARM_MAROUND	USE_DEFAULT_VALUE --1 if the default value for the lookup group should be used
		MA_PARM_MAROUND	MA_PARM_MRA_PUSES - (from 6.1.1501)
		MA_PARM_MAROUND	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table (from 6.1.1501)
MA_PARM_MISCADJT	MA_PARM_MISCADJT	MA_PARM_MISCADJT	
MA_PARM_MISCCOND	MA_PARM_MISCCOND	MA_PARM_MISCCOND	
MA_PARM_MISCGRAD	MA_PARM_MISCGRAD	MA_PARM_MISCGRAD	
MA_PARM_MISCUSE	MA_PARM_MISCUSE	MA_PARM_MISCUSE	
MA_PARM_MRA_LK_MOD	MA_PARM_MRA_LK_MOD	MA_PARM_MRA_LK_MOD	
MA_PARM_MRA_PUSES	MA_PARM_MRA_PUSES	MA_PARM_MRA_PUSES	
MA_PARM_MRAMODEL	MA_PARM_MRAMODEL	MA_PARM_MRAMODEL	
		MA_PARM_MRAMODEL	SIMULATION - Column dropped (replaced by LOOKUP_GROUP) (from 6.1.1501)
		MA_PARM_MRAMODEL	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table
		MA_PARM_MRAMODEL	EXCLUDE_VALUE --1 if this record is not being used (from 6.1.1501)
		MA_PARM_MRAMODEL	USE_DEFAULT_VALUE --1 if the default value for the lookup group should be used (from 6.1.1501)
MA_PARM_MRATAB	MA_PARM_MRATAB	MA_PARM_MRATAB	
MA_PARM_MRATE	MA_PARM_MRATE	MA_PARM_MRATE	
MA_PARM_MULTDIST	MA_PARM_MULTDIST	MA_PARM_MULTDIST	
MA_PARM_NBHD	MA_PARM_NBHD	MA_PARM_NBHD	
		MA_PARM_NBHD	SIMULATION - Column dropped (replaced by LOOKUP_GROUP) (from 6.1.1501)
		MA_PARM_NBHD	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table
		MA_PARM_NBHD	EXCLUDE_VALUE --1 if this record is not being used (from 6.1.1501)
		MA_PARM_NBHD	USE_DEFAULT_VALUE --1 if the default value for the lookup group should be used (from 6.1.1501)
MA_PARM_NYAGR	MA_PARM_NYAGR	MA_PARM_NYAGR	
MA_PARM_PA_CLASS	MA_PARM_PA_CLASS	MA_PARM_PA_CLASS	
MA_PARM_PA_CONST	MA_PARM_PA_CONST	MA_PARM_PA_CONST	
MA_PARM_PA_LAND	MA_PARM_PA_LAND	MA_PARM_PA_LAND	
MA_PARM_PA_SOIL	MA_PARM_PA_SOIL	MA_PARM_PA_SOIL	
MA_PARM_PA_TREE	MA_PARM_PA_TREE	MA_PARM_PA_TREE	
MA_PARM_PLOTUSE	MA_PARM_PLOTUSE	NULL	
MA_PARM_SALEADJT	MA_PARM_SALEADJT	MA_PARM_SALEADJT	
MA_PARM_SALECOMP	MA_PARM_SALECOMP	MA_PARM_SALECOMP	
MA_PARM_SALEDIST	MA_PARM_SALEDIST	MA_PARM_SALEDIST	
MA_PARM_SALEYEAR	MA_PARM_SALEYEAR	MA_PARM_SALEYEAR	
MA_PARM_SE_AREA	MA_PARM_SE_AREA	MA_PARM_SE_AREA	
MA_PARM_SE_MODELS	MA_PARM_SE_MODELS	MA_PARM_SE_MODELS	
MA_PARM_SETAB	MA_PARM_SETAB	MA_PARM_SETAB	
MA_PARM_SITE	MA_PARM_SITE	MA_PARM_SITE	
		MA_PARM_SITE	SIMULATION - Column dropped (replaced by LOOKUP_GROUP) (from 6.1.1501)
		MA_PARM_SITE	LOOKUP_GROUP - Lookup Group Id as per MA_LOOKUP_GROUP table
		MA_PARM_SITE	EXCLUDE_VALUE --1 if this record is not being used (from 6.1.1502)
		MA_PARM_SITE	USE_DEFAULT_VALUE --1 if the default value for the lookup group should be used (from 6.1.1502)
MA_PARM_SIZEADJT	MA_PARM_SIZEADJT	MA_PARM_SIZEADJT	
NULL	NULL	MA_PARM_SIZEADJT_AREA	
MA_PARM_SUBMODEL	MA_PARM_SUBMODEL	MA_PARM_SUBMODEL	
MA_PARM_TIMEADJT	MA_PARM_TIMEADJT	MA_PARM_TIMEADJT	
NULL	MA_RENT_SAVED	MA_RENT_SAVED	
NULL	MA_RENT_SAVED_B	MA_RENT_SAVED_B	
NULL	MA_RENT_SAVED_C	MA_RENT_SAVED_C	
NULL	MA_RENT_SAVED_L	MA_RENT_SAVED_L	
NULL	MA_RENT_SAVED_M	MA_RENT_SAVED_M	
NULL	MA_RENT_SAVED_O	MA_RENT_SAVED_O	
NULL	MA_RENT_SAVED_S	MA_RENT_SAVED_S	
NULL	MA_RENT_SAVED_Z	MA_RENT_SAVED_Z	
MA_SALE_EXTRACT	MA_SALE_EXTRACT	MA_SALE_EXTRACT	
MA_SALE_EXTRACT_P	MA_SALE_EXTRACT_P	MA_SALE_EXTRACT_P	

MA_SALE_EXTRACT_S	MA_SALE_EXTRACT_S	MA_SALE_EXTRACT_S	
MA_SALE_SAVED	MA_SALE_SAVED	MA_SALE_SAVED	
MA_SALE_SAVED_P	MA_SALE_SAVED_P	MA_SALE_SAVED_P	
MA_SALE_SAVED_S	MA_SALE_SAVED_S	MA_SALE_SAVED_S	
MA_SALES	MA_SALES	MA_SALES	
NULL	NULL	MA_SHARED_LOOKUP_GROUP	
NULL	NULL	MA_SHARED_LOOKUP_GROUP_INDEX	
NULL	NULL	MA_SHARED_LOOKUP_GROUP_SET	
MA_SITE	MA_SITE	MA_SITE	
		MA_SITE	PP_VALUE - New column to track Personal Property Value (from 6.1.1502)
		MA_SITE	PP_LK_VALUE - New column to track Personal Property Value for linked properties (from 6.1.1502)
		MA_SITE	LAND_OVERRIDE - New column to override Land Value (0 or -1) (from 6.1.1502)
		MA_SITE	LAND_AG_OVERRIDE - New column to override Land AG Value (0 or -1) (from 6.1.1502)
		MA_SITE	BLDG_OVERRIDE - New column to override Building Value (0 or -1) (from 6.1.1502)
		MA_SITE	MISC_OVERRIDE - New column to override Misc. Structures Value (0 or -1) (from 6.1.1502)
		MA_SITE	INC_GRM_OVERRIDE - New column to override Income GRM Value (0 or -1) (from 6.1.1502)
		MA_SITE	INC_DIR_OVERRIDE - New column to override Income DIR Value (0 or -1) (from 6.1.1508)
		MA_SITE	MRA_OVERRIDE - New column to override MRA Value (0 or -1) (from 6.1.1508)
		MA_SITE	PP_OVERRIDE - New column to override Personal Property Value (0 or -1) (from 6.1.1508)
		MA_SITE	CAMA_VALUE - New column to store to CAMA value (from 6.1.1508)
		MA_SITE	INCOME_LAND_AMT - New column to sum all land records having INC_INCOME = -1 (from 6.1.1508)
		MA_SITE	MRA_LAND_AMT - New column to sum all land records having INC_MRA = -1 (from 6.1.1508)
		MA_SITE	INCOME_LAND_OV - New column to override the land value to be added to income (from 6.1.1508)
		MA_SITE	MRA_LAND_OV - New column to override the land value to be added to MRA (from 6.1.1508)
		MA_SITE	INCOME_BLDG_AMT - New column to sum all land records having INC_INCOME = -1 (from 6.1.1508)
		MA_SITE	MRA_BLDG_AMT - New column to sum all land records having INC_MRA = -1 (from 6.1.1508)
		MA_SITE	INCOME_BLDG_OV - New column to override the land value to be added to income (from 6.1.1508)
		MA_SITE	MRA_BLDG_OV - New column to override the land value to be added to MRA (from 6.1.1508)
		MA_SITE	INCOME_MISC_AMT - New column to sum all land records having INC_INCOME = -1 (from 6.1.1508)
		MA_SITE	MRA_MISC_AMT - New column to sum all land records having INC_MRA = -1 (from 6.1.1508)
		MA_SITE	INCOME_MISC_OV - New column to override the land value to be added to income (from 6.1.1508)
		MA_SITE	MRA_MISC_OV - New column to override the land value to be added to MRA (from 6.1.1508)
		MA_SITE	LAND_VALUE_OVERRIDE - New column that contains the overridden value for land (from 6.1.1508)
		MA_SITE	LAND_AG_VALUE_OVERRIDE - New column that contains the overridden value for land AG (from 6.1.1508)
		MA_SITE	BLDG_VALUE_OVERRIDE - New column that contains the overridden value for bldg (from 6.1.1508)
		MA_SITE	MISC_VALUE_OVERRIDE - New column that contains the overridden value for misc (from 6.1.1508)
		MA_SITE	INCOME_GRM_VALUE_OVERRIDE - New column that contains the overridden value for income GRM (from 6.1.1508)
		MA_SITE	INCOME_DIR_VALUE_OVERRIDE - New column that contains the overridden value for income DIR (from 6.1.1508)
		MA_SITE	MRA_VALUE_OVERRIDE - New column that contains the overridden value for MRA (from 6.1.1508)
MA_TABLES	MA_TABLES	MA_TABLES	
		MA_TABLES	USE_NBHD - Column dropped (replaced by MA_LOOKUP_GROUP.NBHD) (from 6.1.1501)
		MA_TABLES	JURISDICTION - Column dropped (replaced by MA_LOOKUP_GROUP.JURISDICTION) (from 6.1.1501)
		MA_TABLES	MATRIX1_TABLE_NAME - Table name when a Matrix element 1 is being used (from 6.1.1501)
		MA_TABLES	MATRIX2_TABLE_NAME - Table name when a Matrix element 2 is being used (from 6.1.1501)
		MA_TABLES	MATRIX3_TABLE_NAME - Table name when a Matrix element 3 is being used
		MA_TABLES	MATRIX4_TABLE_NAME - Table name when a Matrix element 4 is being used
MA_TEMPLATE_BLDG	MA_TEMPLATE_BLDG	MA_TEMPLATE_BLDG	
MA_TEMPLATE_INC	MA_TEMPLATE_INC	MA_TEMPLATE_INC	
MA_TEMPLATE_LAND	MA_TEMPLATE_LAND	MA_TEMPLATE_LAND	
MA_TEMPLATE_MRA	MA_TEMPLATE_MRA	MA_TEMPLATE_MRA	
MA_URAR_COMMENTS	MA_URAR_COMMENTS	MA_URAR_COMMENTS	
MA_URAR_COST	MA_URAR_COST	MA_URAR_COST	
MA_URAR_FIELDS	MA_URAR_FIELDS	MA_URAR_FIELDS	
MA_URAR_IMPROV	MA_URAR_IMPROV	MA_URAR_IMPROV	
MA_URAR_NBHD	MA_URAR_NBHD	MA_URAR_NBHD	
MA_URAR_PRIORSALES	MA_URAR_PRIORSALES	MA_URAR_PRIORSALES	
MA_URAR_PUB	MA_URAR_PUB	MA_URAR_PUB	
MA_URAR_RECONCIL	MA_URAR_RECONCIL	MA_URAR_RECONCIL	
MA_URAR_SALECOMP	MA_URAR_SALECOMP	MA_URAR_SALECOMP	
MA_URAR_SITE	MA_URAR_SITE	MA_URAR_SITE	
MA_URAR_SUBJECT	MA_URAR_SUBJECT	MA_URAR_SUBJECT	
MA_VALUES_TABLE	MA_VALUES_TABLE	MA_VALUES_TABLE	
NULL	MA_WI_EPAD_BLDG	MA_WI_EPAD_BLDG	
NULL	MA_WI_EPAD_PARCEL	MA_WI_EPAD_PARCEL	
NULL	MA_WI_EPAD_SALE	MA_WI_EPAD_SALE	

Misc. Billing (MB)			
Govern for Windows 10.8	Govern.NET 6.0.1803	Govern.NET 6.1.1811	Notes
NULL	MB_AR_CLASS_LINK	MB_AR_CLASS_LINK	
MB_INVOICE	MB_INVOICE	MB_INVOICE	
MB_INVOICE_DET	MB_INVOICE_DET	MB_INVOICE_DET	
MB_MASTER	MB_MASTER	MB_MASTER	
NULL	NULL	MB_PARM_CATEGORY	
NULL	NULL	MB_PARM_ITEM	
NULL	NULL	MB_PARM_RECURRING	
MB_RECURRING	MB_RECURRING	MB_RECURRING	
MB_RECURRING_DET	MB_RECURRING_DET	MB_RECURRING_DET	
MB_TEMPLATE	MB_TEMPLATE	MB_TEMPLATE	
MB_TEMPLATE_DET	MB_TEMPLATE_DET	MB_TEMPLATE_DET	

Motor Vehicle (MV)			
Govern for Windows 10.8	Govern.NET 6.0.1803	Govern.NET 6.1.1811	Notes
MV_ASSESSMENT	MV_ASSESSMENT	MV_ASSESSMENT	
NULL	MV_AUDIT_INFO	MV_AUDIT_INFO	

MV_EXEMPTIONS	MV_EXEMPTIONS	MV_EXEMPTIONS	
MV_LEVY_MASTER	MV_LEVY_MASTER	MV_LEVY_MASTER	
MV_LK_LEVY_EXEMPT	MV_LK_LEVY_EXEMPT	MV_LK_LEVY_EXEMPT	
NULL	MV_MA_COMMIT_BOOK	MV_MA_COMMIT_BOOK	
MV_MODIF_STAMP	MV_MODIF_STAMP	MV_MODIF_STAMP	
MV_PARM_DEPR	MV_PARM_DEPR	MV_PARM_DEPR	
MV_PARM_EQUIV_DET	MV_PARM_EQUIV_DET	MV_PARM_EQUIV_DET	
MV_PARM_EQUIVAL	MV_PARM_EQUIVAL	MV_PARM_EQUIVAL	
MV_PARM_EX_GROUP	MV_PARM_EX_GROUP	MV_PARM_EX_GROUP	
MV_PARM_EXEMPT	MV_PARM_EXEMPT	MV_PARM_EXEMPT	
MV_PARM_LEVY	MV_PARM_LEVY	MV_PARM_LEVY	
MV_PARM_LK_EXEMPT	MV_PARM_LK_EXEMPT	MV_PARM_LK_EXEMPT	
MV_PARM_PHASEOUT	MV_PARM_PHASEOUT	MV_PARM_PHASEOUT	
MV_PARM_RULE	MV_PARM_RULE	MV_PARM_RULE	
MV_PARM_RULE_DET	MV_PARM_RULE_DET	MV_PARM_RULE_DET	
MV_PARM_TAX_CODE	MV_PARM_TAX_CODE	MV_PARM_TAX_CODE	
MV_POST_MASTER	MV_POST_MASTER	MV_POST_MASTER	
MV_TRANSIT	MV_TRANSIT	MV_TRANSIT	
MV_TRANSIT_DET	MV_TRANSIT_DET	MV_TRANSIT_DET	
MV_TRANSIT_DET_TMP	MV_TRANSIT_DET_TMP	MV_TRANSIT_DET_TMP	

Name & Address (NA)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
NA_ACH_INFO	NA_ACH_INFO	NA_ACH_INFO	
NA_CIE_INFO_BOND	NA_CIE_INFO_BOND	NA_CIE_INFO_BOND	
NA_CIE_INFO_INS	NA_CIE_INFO_INS	NA_CIE_INFO_INS	
NA_COMPANY_INFO	NA_COMPANY_INFO	NA_COMPANY_INFO	
NA_DEPT_INFO	NA_DEPT_INFO	NA_DEPT_INFO	
NA_DEPT_INFO_OBJ	NA_DEPT_INFO_OBJ	NA_DEPT_INFO_OBJ	
NA_EXEMPTIONS	NA_EXEMPTIONS	NA_EXEMPTIONS	
NA_EXTERNAL	NA_EXTERNAL	NULL	
NA_INDIVIDUAL_INFO	NA_INDIVIDUAL_INFO	NA_INDIVIDUAL_INFO	
NA_LK_NAME_ADDRESS	NA_LK_NAME_ADDRESS	NA_LK_NAME_ADDRESS	
NULL	NA_LK_TO_NAME	NA_LK_TO_NAME	
NA_LK_WP	NA_LK_WP	NA_LK_WP	
NA_LK_WP_PARAMS	NA_LK_WP_PARAMS	NA_LK_WP_PARAMS	
NA_MAILING_INDEX	NA_MAILING_INDEX	NA_MAILING_INDEX	
NA_MESSAGE	NA_MESSAGE	NA_MESSAGE	
NA_NAMES	NA_NAMES	NA_NAMES	
NULL	NA_NAMES_LINK	NA_NAMES_LINK	
NULL	NA_NAMES_LK_TYPE	NA_NAMES_LK_TYPE	
NA_PARM_EXEMPT	NA_PARM_EXEMPT	NA_PARM_EXEMPT	
NA_WEB_SUBS_HITS	NA_WEB_SUBS_HITS	NA_WEB_SUBS_HITS	
NA_WEB_SUBSCRIBERS	NA_WEB_SUBSCRIBERS	NA_WEB_SUBSCRIBERS	

OpenForms BED			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Used for Business Entity Designer (BED)
NULL	OF_BE_ATT_LOOKUP	OF_BE_ATT_LOOKUP	Notes
NULL	OF_BE_ATTRIBUTE	OF_BE_ATTRIBUTE	
NULL	NULL	OF_BE_ATTRIBUTE_GROUP	
NULL	OF_BE_COLUMN	OF_BE_COLUMN	
NULL	OF_BE_DTOBJECT	OF_BE_DTOBJECT	
NULL	OF_BE_ENTITY	OF_BE_ENTITY	
NULL	OF_BE_ENTITY_SET	OF_BE_ENTITY_SET	
NULL	OF_BE_MAPTABLE	OF_BE_MAPTABLE	
NULL	OF_BE_RELATION	OF_BE_RELATION	
NULL	OF_BE_RELATMEMBER	OF_BE_RELATMEMBER	
OF_CTRL_TO_COLUMN	NULL	NULL	Legacy Conversion Table - Not Needed anymore

OpenForms OFD			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Used for OpenForms Designer (BED)
NULL	OF_DE_FORM	OF_DE_FORM	Notes
NULL	OF_DE_FORM_ELEMENT	OF_DE_FORM_ELEMENT	
NULL	OF_DE_FORM_ELEMENT_PROPERTY	OF_DE_FORM_ELEMENT_PROPERTY	
NULL	OF_LK_ATT_CALFIELD	OF_LK_ATT_CALFIELD	
NULL	NULL	OF_LK_ATT_GROUP	
NULL	OF_LK_BE_VALRULE	OF_LK_BE_VALRULE	
NULL	OF_LK_COLUMN	OF_LK_COLUMN	
NULL	OF_LK_DTOBJECT	OF_LK_DTOBJECT	
NULL	OF_LK_ENTITY_ESET	OF_LK_ENTITY_ESET	
OF_MD_UPDATER	NULL	NULL	Legacy Conversion Table - Not Needed anymore
NULL	OF_PARM_BE_DTSRCE	OF_PARM_BE_DTSRCE	
NULL	OF_PARM_BE_VALRULE	OF_PARM_BE_VALRULE	

OpenForms SM			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Used for OpenForms Security Manager (SM)
NULL	OF_SE_EXCLUSIONS	OF_SE_EXCLUSIONS	Notes
NULL	OF_SE_FORM_CONTEXT	OF_SE_FORM_CONTEXT	
NULL	OF_SE_FORM_PERMISSION	OF_SE_FORM_PERMISSION	
NULL	OF_SE_INSTANCES	OF_SE_INSTANCES	
NULL	OF_SE_LK_INS_ROLES	OF_SE_LK_INS_ROLES	
NULL	OF_SE_LK_ROLES_USR	OF_SE_LK_ROLES_USR	
NULL	OF_SE_PERMISSIONSM	OF_SE_PERMISSIONSM	
NULL	OF_SE_ROLES	OF_SE_ROLES	

Property Control (PC)			
------------------------------	--	--	--

<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
PC_ADDRESS	PC_ADDRESS	PC_ADDRESS	
PC_AREA	PC_AREA	PC_AREA	
NULL	PC_CENTRAL_NOTES	PC_CENTRAL_NOTES	
PC_DEEDS	PC_DEEDS	PC_DEEDS	
PC_DEEDS_LK_CERT	PC_DEEDS_LK_CERT	PC_DEEDS_LK_CERT	
PC_DEPT_INFO	PC_DEPT_INFO	PC_DEPT_INFO	
PC_DEPT_INFO_OBJ	PC_DEPT_INFO_OBJ	PC_DEPT_INFO_OBJ	
PC_DOC_LOCATOR	PC_DOC_LOCATOR	PC_DOC_LOCATOR	
PC_EXTERNAL	PC_EXTERNAL	PC_EXTERNAL	
PC_FREE_FORM	PC_FREE_FORM	PC_FREE_FORM	
NULL	PC_GEN_SAVED_DEST	PC_GEN_SAVED_DEST	
NULL	PC_GEN_SAVED_SRC	PC_GEN_SAVED_SRC	
PC_GENEALOGY	PC_GENEALOGY	PC_GENEALOGY	
PC_GIS	PC_GIS	PC_GIS	
PC_GIS_ADV_LABELS	PC_GIS_ADV_LABELS	PC_GIS_ADV_LABELS	
PC_GIS_CLASSES	PC_GIS_CLASSES	PC_GIS_CLASSES	
PC_GIS_FEATURES	PC_GIS_FEATURES	PC_GIS_FEATURES	
PC_GIS_LAYER	PC_GIS_LAYER	PC_GIS_LAYER	
PC_GIS_MAP	PC_GIS_MAP	PC_GIS_MAP	
PC_GIS_SINGLE	PC_GIS_SINGLE	PC_GIS_SINGLE	
PC_GIS_STD_LABELS	PC_GIS_STD_LABELS	PC_GIS_STD_LABELS	
PC_GIS_SYMBOLS	PC_GIS_SYMBOLS	PC_GIS_SYMBOLS	
PC_GIS_UNIQUE	PC_GIS_UNIQUE	PC_GIS_UNIQUE	
PC GRANTEE	PC GRANTEE	PC GRANTEE	
PC GRANTOR	PC GRANTOR	PC GRANTOR	
PC_HAZARDS	PC_HAZARDS	PC_HAZARDS	
PC_LEGAL_INFO	PC_LEGAL_INFO	PC_LEGAL_INFO	
PC LIEN_CERT	PC LIEN_CERT	PC LIEN_CERT	
PC LIEN_CERT_DET	PC LIEN_CERT_DET	PC LIEN_CERT_DET	
PC LIEN_NAME	PC LIEN_NAME	PC LIEN_NAME	
NULL	PC_LK_BLDG_TO_BLDG	PC_LK_BLDG_TO_BLDG	
NULL	PC_LK_CENTRAL_NOTE	PC_LK_CENTRAL_NOTE	
PC_LK_PARCEL_BLDG	PC_LK_PARCEL_BLDG	PC_LK_PARCEL_BLDG	
PC_LK_PARCEL_BX	PC_LK_PARCEL_BX	PC_LK_PARCEL_BX	
PC_LK_PARCEL_GIS	PC_LK_PARCEL_GIS	PC_LK_PARCEL_GIS	
PC_LK_PARCEL_HAZ	PC_LK_PARCEL_HAZ	PC_LK_PARCEL_HAZ	
PC_LK_PARCEL_HEAR	PC_LK_PARCEL_HEAR	NULL	
PC_LK_PARCEL_INSP	PC_LK_PARCEL_INSP	NULL	
PC_LK_PARCEL_PM	PC_LK_PARCEL_PM	NULL	
PC_LK_PARCEL_PROJ	PC_LK_PARCEL_PROJ	PC_LK_PARCEL_PROJ	
PC_LK_PARCEL_SALE	PC_LK_PARCEL_SALE	PC_LK_PARCEL_SALE	
PC_LK_PARCEL_SITE	PC_LK_PARCEL_SITE	PC_LK_PARCEL_SITE	
PC_LK_PARCEL_SUBD	PC_LK_PARCEL_SUBD	PC_LK_PARCEL_SUBD	
PC_LK_PARCEL_UB	PC_LK_PARCEL_UB	PC_LK_PARCEL_UB	
PC_LK_PROJECT_COST	PC_LK_PROJECT_COST	PC_LK_PROJECT_COST	
PC_LOAD_ASSESSOR	PC_LOAD_ASSESSOR	PC_LOAD_ASSESSOR	
PC_LOAD_ASSESSOR_DET	PC_LOAD_ASSESSOR_DET	PC_LOAD_ASSESSOR_DET	
NULL	PC_MA_LA3	PC_MA_LA3	
NULL	PC_MA_LA4	PC_MA_LA4	
PC_MESSAGE	PC_MESSAGE	PC_MESSAGE	
PC_MESSAGE_ARCHIVE	PC_MESSAGE_ARCHIVE	PC_MESSAGE_ARCHIVE	
PC_MESSAGE_QUEUE	PC_MESSAGE_QUEUE	PC_MESSAGE_QUEUE	
PC_OCCUPANT	PC_OCCUPANT	PC_OCCUPANT	
PC_OWNER	PC_OWNER	PC_OWNER	
PC_PARCEL	PC_PARCEL	PC_PARCEL	
PC_PARCEL_LINKS	PC_PARCEL_LINKS	PC_PARCEL_LINKS	
PC_PARCEL_LK_TYPE	PC_PARCEL_LK_TYPE	PC_PARCEL_LK_TYPE	
NULL	PC_PARCEL_PICTURE	PC_PARCEL_PICTURE	
		<i>PC_PARCEL_PICTURE</i>	P_ID
		<i>PC_PARCEL_PICTURE</i>	BLDG_PICTURE - Building Picture (Embedded Binary format)
		<i>PC_PARCEL_PICTURE</i>	LAST_MODIF_UID
		<i>PC_PARCEL_PICTURE</i>	LAST_MODIF_DATE
PC_PARM_JURISD	PC_PARM_JURISD	PC_PARM_JURISD	
PC_PROJECTS	PC_PROJECTS	PC_PROJECTS	ADDED: columns AR_CLASS_F, FEE_PERCENT REASON: to manage new Levy for Fee, Ar Class and Fee Percent
PC_QUEUE_T	PC_QUEUE_T	PC_QUEUE_T	
PC_SALES	NULL	NULL	
PC_SITES	PC_SITES	PC_SITES	
PC_TRANSACTIONS	PC_TRANSACTIONS	PC_TRANSACTIONS	

Property Management (PM)			AKA - Permits & Inspections
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
PM_ACT_EMAIL_LOG	PM_ACT_EMAIL_LOG	NULL	
PM_ACTIVITY	PM_ACTIVITY	NULL	
PM_ACTIVITY_EMAIL	PM_ACTIVITY_EMAIL	NULL	
PM_ACTIVITY_MSGTXT	PM_ACTIVITY_MSGTXT	NULL	
PM_ACTIVITY_MSGUID	PM_ACTIVITY_MSGUID	NULL	
PM_ACTIVITY_QUERY	PM_ACTIVITY_QUERY	NULL	
PM_ACTIVITY_STATUS	PM_ACTIVITY_STATUS	NULL	
PM_ADD_INFO	PM_ADD_INFO	NULL	
PM_ALLOW	PM_ALLOW	NULL	
PM_ALLOW_DIM	PM_ALLOW_DIM	NULL	
PM_ALLOW_EXCEPT	PM_ALLOW_EXCEPT	NULL	
PM_ALLOWED	PM_ALLOWED	NULL	
PM_ANIMAL_LICENSE	PM_ANIMAL_LICENSE	NULL	
PM_APPROVAL	PM_APPROVAL	NULL	

PM_BLDG_PERMIT	PM_BLDG_PERMIT	NULL	
PM_BONDS	PM_BONDS	NULL	
PM_BUS_LIC_RESTRIC	PM_BUS_LIC_RESTRIC	NULL	
PM_BUSINESS_LIC	PM_BUSINESS_LIC	NULL	
PM_COMPLAINT	PM_COMPLAINT	NULL	
PM_COMPLAINT_RESP	PM_COMPLAINT_RESP	NULL	
PM_CONDITION_CODES	PM_CONDITION_CODES	NULL	
PM_CONTACT	PM_CONTACT	NULL	
PM_CONTRIBUTION	PM_CONTRIBUTION	NULL	
PM_COST_CODE	PM_COST_CODE	NULL	
PM_DECISION	PM_DECISION	NULL	
PM_DEPARTMENT	PM_DEPARTMENT	NULL	
PM_ELECTRICAL	PM_ELECTRICAL	NULL	
PM_EMAIL_INFO	PM_EMAIL_INFO	NULL	
PM_EVENT_CODES	PM_EVENT_CODES	NULL	
PM_EXTERNAL	PM_EXTERNAL	NULL	
PM_FEE	PM_FEE	NULL	
PM_FEE_TABLE_INDEX	PM_FEE_TABLE_INDEX	NULL	
PM_FEE_TABLES	PM_FEE_TABLES	NULL	
PM_GEN_PERMIT	PM_GEN_PERMIT	NULL	
PM_GL_EXTRACT	PM_GL_EXTRACT	NULL	
PM_HEARING	PM_HEARING	NULL	
PM_INSP_TEMPLATE	PM_INSP_TEMPLATE	NULL	
PM_INSPECTIONS	PM_INSPECTIONS	NULL	
PM_INSPECTORS	PM_INSPECTORS	NULL	
PM_INSPECTORS_EX	PM_INSPECTORS_EX	NULL	
PM_LEVEL_TO_SEQ	PM_LEVEL_TO_SEQ	NULL	
PM_LICENSE	PM_LICENSE	NULL	
PM_LICENSE_PARCEL	PM_LICENSE_PARCEL	NULL	
PM_LK_ACT_INSPDEPT	PM_LK_ACT_INSPDEPT	NULL	
PM_LK_ACT_INSPTYPE	PM_LK_ACT_INSPTYPE	NULL	
PM_LK_ACT_LKDEPT	PM_LK_ACT_LKDEPT	NULL	
PM_LK_ACT_PMTYPE	PM_LK_ACT_PMTYPE	NULL	
PM_LK_COMPL_ACCT	PM_LK_COMPL_ACCT	NULL	
PM_LK_CONDITIONS	PM_LK_CONDITIONS	NULL	
PM_LK_EVENTS	PM_LK_EVENTS	NULL	
PM_LK_FIREPREV_TYP	PM_LK_FIREPREV_TYP	NULL	
PM_LK_HEAR_PERMIT	PM_LK_HEAR_PERMIT	NULL	
PM_LK_INSP_BLDG	PM_LK_INSP_BLDG	NULL	
PM_LK_INSP_COMPL	PM_LK_INSP_COMPL	NULL	
PM_LK_INSP_HEAR	PM_LK_INSP_HEAR	NULL	
PM_LK_INSP_INSP	PM_LK_INSP_INSP	NULL	
PM_LK_INSP_INTYPE	PM_LK_INSP_INTYPE	NULL	
PM_LK_INSP_OFFEN	PM_LK_INSP_OFFEN	NULL	
PM_LK_INSP_PERMIT	PM_LK_INSP_PERMIT	NULL	
PM_LK_INSP_TYPE	PM_LK_INSP_TYPE	NULL	
PM_LK_INSP_TYPE_IC	PM_LK_INSP_TYPE_IC	NULL	
PM_LK_KEYS	PM_LK_KEYS	NULL	
NULL	PM_LK_MASTER	NULL	
PM_LK_MISC_PERMIT	PM_LK_MISC_PERMIT	NULL	
PM_LK_OF_VIOLATION	PM_LK_OF_VIOLATION	NULL	
PM_LK_OFFENCE_TYPE	PM_LK_OFFENCE_TYPE	NULL	
PM_LK_PERMIT_BLDG	PM_LK_PERMIT_BLDG	NULL	
PM_LK_PERMIT_NAME	PM_LK_PERMIT_NAME	NULL	
PM_LK_PERMIT_TYPE	PM_LK_PERMIT_TYPE	NULL	
PM_LK_PM_INFO_DOC	PM_LK_PM_INFO_DOC	NULL	
PM_LK_PM_INFO_REC	PM_LK_PM_INFO_REC	NULL	
PM_LK_PM_INFO_SERV	PM_LK_PM_INFO_SERV	NULL	
PM_LK_PM_INSP_TYPE	PM_LK_PM_INSP_TYPE	NULL	
PM_LK_PM_SUBTYPE	PM_LK_PM_SUBTYPE	NULL	
PM_LK_PM_TYPE_A	PM_LK_PM_TYPE_A	NULL	
PM_LK_PM_TYPE_AL	PM_LK_PM_TYPE_AL	NULL	
PM_LK_PM_TYPE_B	PM_LK_PM_TYPE_B	NULL	
PM_LK_PM_TYPE_BL	PM_LK_PM_TYPE_BL	NULL	
PM_LK_PM_TYPE_BN	PM_LK_PM_TYPE_BN	NULL	
PM_LK_PM_TYPE_CO	PM_LK_PM_TYPE_CO	NULL	
PM_LK_PM_TYPE_D	PM_LK_PM_TYPE_D	NULL	
PM_LK_PM_TYPE_E	PM_LK_PM_TYPE_E	NULL	
PM_LK_PM_TYPE_G	PM_LK_PM_TYPE_G	NULL	
PM_LK_PM_TYPE_L	PM_LK_PM_TYPE_L	NULL	
PM_LK_PM_TYPE_LP	PM_LK_PM_TYPE_LP	NULL	
PM_LK_PM_TYPE_OF	PM_LK_PM_TYPE_OF	NULL	
PM_LK_PM_TYPE_P	PM_LK_PM_TYPE_P	NULL	
PM_LK_PM_TYPE_PA	PM_LK_PM_TYPE_PA	NULL	
PM_LK_PM_TYPE_PN	PM_LK_PM_TYPE_PN	NULL	
PM_LK_PP_PERMIT	PM_LK_PP_PERMIT	NULL	
PM_LK_PROJ_FOLIO	PM_LK_PROJ_FOLIO	NULL	
PM_LK_PROJECT_PM	PM_LK_PROJECT_PM	NULL	
PM_LK_ST_KEYS	PM_LK_ST_KEYS	NULL	
PM_LK_SUBM	PM_LK_SUBM	NULL	
PM_LK_UB_PERMIT	PM_LK_UB_PERMIT	NULL	
PM_MASTER	PM_MASTER	NULL	
PM_MEETING	PM_MEETING	NULL	
PM_MEETING_EXCEPT	PM_MEETING_EXCEPT	NULL	
PM_NAME_GROUPS	PM_NAME_GROUPS	NULL	
PM_OFFENCE	PM_OFFENCE	NULL	

PM_PAYMENT	PM_PAYMENT	NULL	
PM_PLUMBING	PM_PLUMBING	NULL	
PM_PROJECT_FOLIO	PM_PROJECT_FOLIO	NULL	
PM_PROSECUTION	PM_PROSECUTION	NULL	
PM_REMINDER	PM_REMINDER	NULL	
PM_REMINDER_INFO	PM_REMINDER_INFO	NULL	
PM_RESTRICTIONS	PM_RESTRICTIONS	NULL	
PM_TIME_COST_ITEM	PM_TIME_COST_ITEM	NULL	
PM_TYPE	PM_TYPE	NULL	
PM_TYPE_ACT_CLIENT	PM_TYPE_ACT_CLIENT	NULL	
PM_TYPE_ACT_EMAIL	PM_TYPE_ACT_EMAIL	NULL	
PM_TYPE_ACT_INFO	PM_TYPE_ACT_INFO	NULL	
PM_TYPE_ACT_MSG	PM_TYPE_ACT_MSG	NULL	
PM_TYPE_ACT_MSGUID	PM_TYPE_ACT_MSGUID	NULL	
PM_TYPE_ACTIVITY	PM_TYPE_ACTIVITY	NULL	
PM_TYPE_FIELDS	PM_TYPE_FIELDS	NULL	
PM_TYPE_INTERNET	PM_TYPE_INTERNET	NULL	
PM_TYPE_LIC_TYPE	PM_TYPE_LIC_TYPE	NULL	
PM_TYPE_MULTIMEDIA	PM_TYPE_MULTIMEDIA	NULL	
PM_TYPE_NAME_TYPE	PM_TYPE_NAME_TYPE	NULL	
PM_TYPE_PROP_TYPE	PM_TYPE_PROP_TYPE	NULL	
PM_TYPE_SUB_PERMIT	PM_TYPE_SUB_PERMIT	NULL	
PM_YAV_PLAN_CHECK	NULL	NULL	

Personal Property (PP)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
PP_ASSESSMENT	PP_ASSESSMENT	PP_ASSESSMENT	
PP_ASSESSMENT_DET	PP_ASSESSMENT_DET	PP_ASSESSMENT_DET	
PP_AUDIT_INFO	PP_AUDIT_INFO	PP_AUDIT_INFO	
PP_EXEMPTIONS	PP_EXEMPTIONS	PP_EXEMPTIONS	
PP_EXTRACT_DETAIL	PP_EXTRACT_DETAIL	PP_EXTRACT_DETAIL	
PP_LEVY_MASTER	PP_LEVY_MASTER	PP_LEVY_MASTER	
PP_LK_LEVY_EXEMPT	PP_LK_LEVY_EXEMPT	PP_LK_LEVY_EXEMPT	
NULL	PP_MA_COMMIT_BOOK	PP_MA_COMMIT_BOOK	
PP_MODIF_STAMP	PP_MODIF_STAMP	PP_MODIF_STAMP	
PP_PARM_ADJ	PP_PARM_ADJ	PP_PARM_ADJ	
PP_PARM_DEPR	PP_PARM_DEPR	PP_PARM_DEPR	
PP_PARM_EX_GROUP	PP_PARM_EX_GROUP	PP_PARM_EX_GROUP	
PP_PARM_EXEMPT	PP_PARM_EXEMPT	PP_PARM_EXEMPT	
PP_PARM_ITEMS	PP_PARM_ITEMS	PP_PARM_ITEMS	
PP_PARM_LEVY	PP_PARM_LEVY	PP_PARM_LEVY	
PP_PARM_LK_EXEMPT	PP_PARM_LK_EXEMPT	PP_PARM_LK_EXEMPT	
PP_PARM_PP_ADJ	PP_PARM_PP_ADJ	PP_PARM_PP_ADJ	
PP_PARM_TAX_CODE	PP_PARM_TAX_CODE	PP_PARM_TAX_CODE	
PP_POST_MASTER	PP_POST_MASTER	PP_POST_MASTER	
PP_TABLE	PP_TABLE	PP_TABLE	
PP_TEMPLATE_AS	PP_TEMPLATE_AS	PP_TEMPLATE_AS	

Query Tool Tables			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
NULL	QY_COLUMN	QY_COLUMN	
NULL	QY_CONDITION	QY_CONDITION	
NULL	QY_GROUP_CONDITION	QY_GROUP_CONDITION	
NULL	QY_MASTER	QY_MASTER	

Special Assessment (SA)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
SA_FORECAST	SA_FORECAST	SA_FORECAST	
SA_HISTORY	SA_HISTORY	SA_HISTORY	NEW - ADDED: Column FEE REASON: Added columns to manage a new amount for Fee

Self Reported Tax (ST)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
NULL	ST_CORP_ACCOUNT	ST_CORP_ACCOUNT	
NULL	ST_ESTIMATE	ST_ESTIMATE	
NULL	ST_ESTIMATE_DET	ST_ESTIMATE_DET	
NULL	ST_EVENT_HIST	ST_EVENT_HIST	NEW - ADDED : New field LINK_ID added. REASON: To store destination ST_ID when a return is transferred to another return and a record is created in table ST_EVENT_HIST.
ST_EXEMPTIONS	ST_EXEMPTIONS	ST_EXEMPTIONS	
ST_FILING_FIELDS	ST_FILING_FIELDS	ST_FILING_FIELDS	
ST_FILING_LEVY	ST_FILING_LEVY	ST_FILING_LEVY	
ST_FILING_MASTER	ST_FILING_MASTER	ST_FILING_MASTER	
ST_IMP_PMT_INFO	ST_IMP_PMT_INFO	ST_IMP_PMT_INFO	
ST_IMP_PMT_ORIG	ST_IMP_PMT_ORIG	ST_IMP_PMT_ORIG	
ST_IMP_RETURN_INFO	ST_IMP_RETURN_INFO	ST_IMP_RETURN_INFO	
ST_IMP_RETURN_ORIG	ST_IMP_RETURN_ORIG	ST_IMP_RETURN_ORIG	
ST_LK_BLDG	ST_LK_BLDG	ST_LK_BLDG	
ST_LK_IN	ST_LK_IN	ST_LK_IN	
ST_LK_LEVY_EXEMPT	ST_LK_LEVY_EXEMPT	ST_LK_LEVY_EXEMPT	
ST_LK_MB	ST_LK_MB	ST_LK_MB	
ST_LK_PP	ST_LK_PP	ST_LK_PP	
ST_LK_UB	ST_LK_UB	ST_LK_UB	
ST_MASTER	ST_MASTER	ST_MASTER	
NULL	ST_MASTER_STATUS_HIST	ST_MASTER_STATUS_HIST	
NULL	ST_PARAM_MULTIMEDIA	ST_PARAM_MULTIMEDIA	
ST_PARM_CATEG	ST_PARM_CATEG	ST_PARM_CATEG	
ST_PARM_EXEMPT	ST_PARM_EXEMPT	ST_PARM_EXEMPT	

ST_PARM_FIELDS	ST_PARM_FIELDS	ST_PARM_FIELDS	NEW - ADDED : Two new fields NUMBER_MIN_WB and NUMBER_MAX_WB to manage valid range for Category fields in ST-. Both Float Nullable.
ST_PARM_FLDS_SUM	ST_PARM_FLDS_SUM	ST_PARM_FLDS_SUM	
ST_PARM_LEVY	ST_PARM_LEVY	ST_PARM_LEVY	
NULL	ST_PARM_LEVY_PERIOD_OVERRIDE	ST_PARM_LEVY_PERIOD_OVERRIDE	
ST_PARM_LK_EXEMPT	ST_PARM_LK_EXEMPT	ST_PARM_LK_EXEMPT	
ST_PARM_PERIOD	ST_PARM_PERIOD	ST_PARM_PERIOD	
NULL	ST_PARM_PERIOD_DETAIL	ST_PARM_PERIOD_DETAIL	
ST_TEMPLATE_FIELDS	ST_TEMPLATE_FIELDS	ST_TEMPLATE_FIELDS	

Submission / Time Cost			GFW (VB6) table not used
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
SU_LK_NAME_PARTS	SU_LK_NAME_PARTS	SU_LK_NAME_PARTS	
SU_LK_SUBM_CROSS	SU_LK_SUBM_CROSS	SU_LK_SUBM_CROSS	
SU_LK_SUBM_TOPIC	SU_LK_SUBM_TOPIC	SU_LK_SUBM_TOPIC	
SU_PARTS	SU_PARTS	SU_PARTS	
SU_SUBMISSION	SU_SUBMISSION	SU_SUBMISSION	

System Tables (SY)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
SY_ATTACH_TABLE	SY_ATTACH_TABLE	SY_ATTACH_TABLE	
SY_BROWSE	SY_BROWSE	SY_BROWSE	
NULL	SY_CLIENT_IDS	SY_CLIENT_IDS	
SY_DICT_DATANAMES	SY_DICT_DATANAMES	NULL	
SY_DICT_DESC	SY_DICT_DESC	SY_DICT_DESC	NEW - ADDED: Length of column SY_DICT_DESC.TABLE_NAME has been changed from 30 to 128. REASON: New tables have names longer than 30 characters. Oracle 12.2 and above doesn't have a limitation of 30 anymore.
SY_DICT_TABLES	SY_DICT_TABLES	NULL	
SY_DICT_VIEW	SY_DICT_VIEW	NULL	
NULL	SY_ECOMP_FIELD	SY_ECOMP_FIELD	
NULL	SY_ECOMP_FIELD_VAL	SY_ECOMP_FIELD_VAL	
NULL	SY_ECOMPTRAN	SY_ECOMPTRAN	
NULL	SY_EMPTY	SY_EMPTY	
SY_ERROR_MESSAGES	SY_ERROR_MESSAGES	SY_ERROR_MESSAGES	
SY_EXCEPTION_LIST	NULL	NULL	
NULL	SY_EXEC_MISC_CORR_SCRIPT	SY_EXEC_MISC_CORR_SCRIPT	
SY_FIELDS_DEF	SY_FIELDS_DEF	SY_FIELDS_DEF	
NULL	NULL	SY_FIELDS_EXCLUSION	
SY_FIELDS_LABEL	SY_FIELDS_LABEL	SY_FIELDS_LABEL	
SY_FORM_SIZE	SY_FORM_SIZE	SY_FORM_SIZE	
SY_IMPORT	SY_IMPORT	SY_IMPORT	
SY_LK_AUDIT_ADM	SY_LK_AUDIT_ADM	NULL	
SY_LK_AUDIT_BATCH	SY_LK_AUDIT_BATCH	SY_LK_AUDIT_BATCH	
SY_LK_FUNCT_TABLE	SY_LK_FUNCT_TABLE	SY_LK_FUNCT_TABLE	
SY_LK_VIEW_LOGICAL	SY_LK_VIEW_LOGICAL	SY_LK_VIEW_LOGICAL	
SY_LOCAL_TABLE	SY_LOCAL_TABLE	SY_LOCAL_TABLE	
SY_MENU_BATCH	SY_MENU_BATCH	SY_MENU_BATCH	
NULL	SY_MOBILE_COLUMN	SY_MOBILE_COLUMN	
NULL	SY_MOBILE_DB_OBJ_EXCLUSION	SY_MOBILE_DB_OBJ_EXCLUSION	
NULL	SY_MOBILE_TABLE	SY_MOBILE_TABLE	
SY_QUERY_TEMP	SY_QUERY_TEMP	SY_QUERY_TEMP	
SY_REGISTRY	SY_REGISTRY	SY_REGISTRY	
NULL	SY_REGISTRY_BY_YEAR	SY_REGISTRY_BY_YEAR	
NULL	SY_ROLLFORWARD_EXCLUSION	NULL	Added to support roll forward exclusion of fields: SY_ROLLFORWARD_EXCLUSION Columns: TABLE_NAME [PK], COLUMN_NAME [PK]
NULL	SY_STOREDPROC_LIST	SY_STOREDPROC_LIST	
NULL	SY_STOREDPROC_PRM	SY_STOREDPROC_PRM	
NULL	SY_SYNC_INFO	SY_SYNC_INFO	
SY_TABLE_DESC	SY_TABLE_DESC	SY_TABLE_DESC	
SY_TEMPLATE_F_VT	SY_TEMPLATE_F_VT	SY_TEMPLATE_F_VT	
SY_TEMPLATE_VT	SY_TEMPLATE_VT	SY_TEMPLATE_VT	
SY_TEXT	SY_TEXT	SY_TEXT	
SY_VT_CONTROL	SY_VT_CONTROL	NULL	
SY_VT_HEADER	SY_VT_HEADER	NULL	
NULL	SY_WEB_AUDIT	SY_WEB_AUDIT	

Temporary (TEMP) Tables			For extraction process - No active data
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
TMP_GEMS_GL_ACC	TMP_GEMS_GL_ACC	TMP_GEMS_GL_ACC	
TMP_GRP_EXEMP	TMP_GRP_EXEMP	TMP_GRP_EXEMP	
TMP_NAMES	TMP_NAMES	TMP_NAMES	
TMP_PM_APPLIST	TMP_PM_APPLIST	NULL	

Tax Title (TT)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
TT_EXTRACT	TT_EXTRACT	TT_EXTRACT	
TT_MASTER	TT_MASTER	TT_MASTER	
TT_MASTER_COPY	TT_MASTER_COPY	TT_MASTER_COPY	

Real Estate (RE)			N.B. NY, Nassau, etc, existed in VB6, but were created on ad hoc basis
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
TX_AUDIT_INFO	TX_AUDIT_INFO	TX_AUDIT_INFO	
NULL	TX_CTG_DELOQ_EX_DET	TX_CTG_DELOQ_EX_DET	
NULL	TX_CTG_DELOQ_EX_HDR	TX_CTG_DELOQ_EX_HDR	
NULL	TX_CTG_DELOQ_IM_DET	TX_CTG_DELOQ_IM_DET	
NULL	TX_CTG_DELOQ_IM_HDR	TX_CTG_DELOQ_IM_HDR	
NULL	TX_CTG_OSAP_DET	TX_CTG_OSAP_DET	

NULL	TX_CTG_OSAP_HDR	TX_CTG_OSAP_HDR	
TX_EXEMPTIONS	TX_EXEMPTIONS	TX_EXEMPTIONS	NEW - ADDED: Added column ELIGIBLE_NET_DISTRIBUTED REASON: Add column to apply a specific net amount for an Exemption
TX_GENEALOGY	TX_GENEALOGY	TX_GENEALOGY	
TX_LEVY_MASTER	TX_LEVY_MASTER	TX_LEVY_MASTER	
TX_LK_LEVY_EXEMPT	TX_LK_LEVY_EXEMPT	TX_LK_LEVY_EXEMPT	
NULL	NULL	TX_LK_TIF_LEVY	
NULL	NULL	TX_LK_TIF_PARCEL	NEW - ADDED: Columns SM_PARCEL_IMPROVEMENT_PERCENT, SM_PARCEL_LAND_PERCENT REASON: TIF need to have additional field in the parcel and s/m custom controls NEW - ADDED: Added column NOTES to table TX_LK_TIF_PARCEL REASON: Add individualized notes against each parcel. Required when there are split/merges or other reasons where information on a single parcel may differ from others. NEW - ADDED: Added Columns Number of Years, Expiration Year, and Implementation Year at level of linked parcel REASON: Each parcel linked could have a different expiration year, implementation year or number of years until the expiration.
NULL	TX_MA_COMMIT_BOOK	TX_MA_COMMIT_BOOK	
TX_MODIF_STAMP	TX_MODIF_STAMP	TX_MODIF_STAMP	
TX_NASSAU_RETURN	TX_NASSAU_RETURN	TX_NASSAU_RETURN	
TX_NASSAU_TAX_ROLL	TX_NASSAU_TAX_ROLL	TX_NASSAU_TAX_ROLL	
NULL	TX_NY_A_CER_EXEMPT	TX_NY_A_CER_EXEMPT	
NULL	TX_NY_A_CER_LEVYDA	TX_NY_A_CER_LEVYDA	
NULL	TX_NY_A_CER_LEVYTA	TX_NY_A_CER_LEVYTA	
NULL	TX_NY_A_CERTIORARI	TX_NY_A_CERTIORARI	
NULL	TX_NY_ARLM02	TX_NY_ARLM02	
NULL	TX_NY_ARLM06	TX_NY_ARLM06	
NULL	TX_NY_ARREARS	TX_NY_ARREARS	
NULL	TX_NY_ASSMT_ROLL	TX_NY_ASSMT_ROLL	
NULL	TX_NY_C_CER_EXEMPT	TX_NY_C_CER_EXEMPT	
NULL	TX_NY_C_CER_LEVYDA	TX_NY_C_CER_LEVYDA	
NULL	TX_NY_C_CER_LEVYTA	TX_NY_C_CER_LEVYTA	
NULL	TX_NY_C_CERTIORARI	TX_NY_C_CERTIORARI	
NULL	TX_NY_ERIECITYINFO	TX_NY_ERIECITYINFO	
NULL	TX_NY_GEN_BILL	TX_NY_GEN_BILL	
NULL	TX_NY_GEN_EXEMPT	TX_NY_GEN_EXEMPT	
NULL	TX_NY_GEN_LEVY	TX_NY_GEN_LEVY	
NULL	TX_NY_GRECEIP_DET	TX_NY_GRECEIP_DET	
NULL	TX_NY_GRECEIP_EXE	TX_NY_GRECEIP_EXE	
NULL	TX_NY_GRECEIP_HD	TX_NY_GRECEIP_HD	
NULL	TX_NY_GRECEIP_LEVY	TX_NY_GRECEIP_LEVY	
NULL	TX_NY_LATE_NOTICE	TX_NY_LATE_NOTICE	
NULL	TX_NY_NAMECHG	TX_NY_NAMECHG	
NULL	TX_NY_PARM_RPSEQU	TX_NY_PARM_RPSEQU	
NULL	TX_NY_PARM_RPSEQUD	TX_NY_PARM_RPSEQUD	
NULL	TX_NY_POSTCARDS	TX_NY_POSTCARDS	
NULL	TX_NY_PROCESS_LOG	TX_NY_PROCESS_LOG	
NULL	TX_NY_RPS_TRANS_T1	TX_NY_RPS_TRANS_T1	
NULL	TX_NY_RPS_TRANS_T2	TX_NY_RPS_TRANS_T2	
NULL	TX_NY_RPS_TRANSIT	TX_NY_RPS_TRANSIT	
NULL	TX_NY_SCH_BILL	TX_NY_SCH_BILL	
NULL	TX_NY_SCH_EXEMPT	TX_NY_SCH_EXEMPT	
NULL	TX_NY_SCH_LEVY	TX_NY_SCH_LEVY	
NULL	TX_NY_SRECEIP_DET	TX_NY_SRECEIP_DET	
NULL	TX_NY_SRECEIP_EXE	TX_NY_SRECEIP_EXE	
NULL	TX_NY_SRECEIP_HD	TX_NY_SRECEIP_HD	
NULL	TX_NY_SRECEIP_LEVY	TX_NY_SRECEIP_LEVY	
NULL	TX_NY_SWK_BILL	TX_NY_SWK_BILL	
NULL	TX_NY_SWK_EXEMPT	TX_NY_SWK_EXEMPT	
NULL	TX_NY_SWK_IMPORT	TX_NY_SWK_IMPORT	
NULL	TX_NY_SWK_LEVY	TX_NY_SWK_LEVY	
NULL	TX_NY_SWK_UNPAID	TX_NY_SWK_UNPAID	
NULL	TX_NY_TAX_ROLL	TX_NY_TAX_ROLL	
NULL	TX_NY_TAX_ROLL_ITH	TX_NY_TAX_ROLL_ITH	
NULL	TX_NY_TOWNTAPE	TX_NY_TOWNTAPE	
NULL	TX_NY_WRECEIP_DET	TX_NY_WRECEIP_DET	
NULL	TX_NY_WRECEIP_EXE	TX_NY_WRECEIP_EXE	
NULL	TX_NY_WRECEIP_HD	TX_NY_WRECEIP_HD	
NULL	TX_NY_WRECEIP_LEVY	TX_NY_WRECEIP_LEVY	
NULL	TX_PA_HOMESTEAD	TX_PA_HOMESTEAD	
NULL	TX_PA_MEAN_MEDIAN	TX_PA_MEAN_MEDIAN	
TX_PARM_AVERAGE	TX_PARM_AVERAGE	TX_PARM_AVERAGE	
TX_PARM_EX_GROUP	TX_PARM_EX_GROUP	TX_PARM_EX_GROUP	
TX_PARM_EXEMPT	TX_PARM_EXEMPT	TX_PARM_EXEMPT	NEW - ADDED: New column REIMBURSABLE
TX_PARM_LEVY	TX_PARM_LEVY	TX_PARM_LEVY	NEW - ADDED: Added columns LEVY_FUND, COUNTY_MANAGED REASON: Used by Tax Settlement Expense NEW - ADDED: Added columns LEVY_REPORTBY REASON: Used for grouping RE Levy Code for Report by example.
TX_PARM_LK_EXEMPT	TX_PARM_LK_EXEMPT	TX_PARM_LK_EXEMPT	
TX_PARM_NY_SWIS	TX_PARM_NY_SWIS	TX_PARM_NY_SWIS	
TX_PARM_QC_DROIT	TX_PARM_QC_DROIT	TX_PARM_QC_DROIT	
TX_PARM_QC_IND	TX_PARM_QC_IND	TX_PARM_QC_IND	
TX_PARM_QC_INR	TX_PARM_QC_INR	TX_PARM_QC_INR	
TX_PARM_RPSEQUD	TX_PARM_RPSEQUD	TX_PARM_RPSEQUD	
NULL	NULL	TX_PARM_SETTLEMENT_EXP_RATE	
NULL	NULL	TX_PARM_SETTLEMENT_EXPENSE	
NULL	NULL	TX_PARM_SETTLEMENT_TYPE	NEW - ADDED: Table TX_PARM_SETTLEMENT_TYPE with columns REASON: Allow creation of settlement types in GNA Editor
TX_PARM_TAX_CAP	TX_PARM_TAX_CAP	TX_PARM_TAX_CAP	
TX_PARM_TAX_CAP_LV	TX_PARM_TAX_CAP_LV	TX_PARM_TAX_CAP_LV	
TX_PARM_TAX_CODE	TX_PARM_TAX_CODE	TX_PARM_TAX_CODE	
NULL	TX_PE_EXTRACT	TX_PE_EXTRACT	

NULL	TX_PE_TAX_ROLL	TX_PE_TAX_ROLL	
TX_POST_MASTER	TX_POST_MASTER	TX_POST_MASTER	
TX_QC_REP_FISCALE	TX_QC_REP_FISCALE	TX_QC_REP_FISCALE	
TX_RE_ASSESSMENT	TX_RE_ASSESSMENT	TX_RE_ASSESSMENT	
NULL	TX_RI_LOAD_ASS	TX_RI_LOAD_ASS	
NULL	TX_RI_MV_ROLL	TX_RI_MV_ROLL	
NULL	TX_RI_PP_ROLL	TX_RI_PP_ROLL	
NULL	TX_RI_RE_ROLL	TX_RI_RE_ROLL	
NULL	TX_RI_STATE_EXEMPT	TX_RI_STATE_EXEMPT	
NULL	NULL	TX_SETTLEMENT	NEW - ADDED: Added table REASON: Created for Settlement Advance
NULL	NULL	TX_SETTLEMENT_DETAIL	NEW - ADDED: Added table REASON: Created for Settlement Advance
NULL	NULL	TX_SETTLEMENT_EXPENSE	ADDED: for RE, columns YEAR_ID, LEVY_NO, EXPENSE_CODE, EXPENSE_DATE, AMOUNT, SETTLED_DATE, PERIOD_ID, IS_FINALIZED, TAX_CODE, EXPENSE_GROUP_ID, LEVY_AMOUNT, NOTE, LAST_MODIF_DATE, LAST_MODIF_UID. ADDED: to index PK_TX_SETTLEMENT_EXPENSE columns YEAR_ID, TAX_CODE, LEVY_NO, EXPENSE_CODE, PERIOD_ID, IS_FINALIZED. REASON: added new tables to manage Closing Period and Settlement. NEW - ADDED: CREATION_DATE Date[]; CREATION_UID varchar[] NEW - ADDED / REMOVED: Added new column PERIOD_CODE; Removed PERIOD_ID from table REASON: New column PERIOD_CODE to replace PERIOD_ID
NULL	NULL	TX_SETTLEMENT_EXPENSE_GROUP	ADDED: for RE, columns EXPENSE_GROUP_ID, YEAR_ID, TAX_CODE, EXPENSE_CODE, PERIOD_ID, EXPENSE_DATE, AMOUNT, NOTE, LAST_MODIF_DATE, LAST_MODIF_UID ADDED: To index PK_TX_SETTLEMENT_EXPENSE_GROUP columns YEAR_ID, TAX_CODE, EXPENSE_CODE, PERIOD_ID. ADDED: to index GV_TX_SETTLEMENT_EXPENSE_GROUP_UNIQUE columns EXPENSE_GROUP_ID NEW - ADDED/REMOVED: Remove PERIOD_ID, Add column PERIOD_CODE to replace the PERIOD_ID Remove the PERIOD_ID from the PK index and replace it with PERIOD_CODE REASON: Replace user key dynamic PERIOD_ID with column PERIOD_CODE. Period code is unique by year so auto-generate ID not needed. To respect standard in Govern, we create a period code to link the period to the right parameter instead of using a period ID.
NULL	NULL	TX_PARM_SETTLEMENT_PERIOD	ADDED: for RE, columns PERIOD_ID, YEAR_ID, PERIOD_CODE, CYCLE_CODE, START_DATE, END_DATE, CLOSED_PERIOD, LAST_MODIF_DATE, LAST_MODIF_UID ADDED: to index PK_TX_SETTLEMENT_PERIOD columns YEAR_ID, PERIOD_CODE, CYCLE_CODE ADDED: to index GV_TX_SETTLEMENT_PERIOD_UNIQUE columns PERIOD_ID REASON: added new tables to manage Closing Period and Settlement. NEW - ADDED/REMOVED: Remove the table TX_SETTLEMENT_PERIOD, Add new table TX_PARM_SETTLEMENT_PERIOD REASON: Allows creation of settlement period in GNA Editor.
NULL	NULL	TX_TIF	NEW - ADDED: Columns ORDINANCE, GRANTAUTHORIZATION, CASENUMBER, ORCAUTHORIZATION, IMPR_PCT, LAND_PCT, TIF_NOTE, GRANTINGDATE REASON: TIF needs to have additional field in the parcel and s/m custom controls NEW - ADDED: Added column IS_PROCESSED NOTE - Columns: TIF_LEVY_NO and TIF_AR_CLASS are now Nullable
NULL	TX_TN_TAX_ROLL	TX_TN_TAX_ROLL	
NULL	TX_TN_TAX_ROLL_2	TX_TN_TAX_ROLL_2	
NULL	TX_WI_ASSMT_FINAL	TX_WI_ASSMT_FINAL	

Utility Billing (UB)			
Govern for Windows 10.8	Govern.NET 6.0.1803	Govern.NET 6.1.1811	Notes
UB_ACH_INFO	UB_ACH_INFO	UB_ACH_INFO	
UB_BILL_PER_POSTED	UB_BILL_PER_POSTED	UB_BILL_PER_POSTED	
UB BILLING PERIOD	UB BILLING PERIOD	UB BILLING PERIOD	
UB_CTG_BILL_EX_DET	NULL	NULL	
UB_CTG_BILL_EX_HDR	NULL	NULL	
NULL	UB_IA_UDACTCHG	UB_IA_UDACTCHG	
NULL	UB_IA_UDRDG	UB_IA_UDRDG	
NULL	UB_IA_UDTRN	UB_IA_UDTRN	
NULL	UB_IA_UDTRNSMY	UB_IA_UDTRNSMY	
NULL	UB_IA_UDUSG	UB_IA_UDUSG	
NULL	UB_IA_UDUSGN	UB_IA_UDUSGN	
NULL	UB_IA_UDUSGPRD	UB_IA_UDUSGPRD	
UB_LK_ACCT_M_HIST	UB_LK_ACCT_M_HIST	UB_LK_ACCT_M_HIST	
UB_LK_ACCT_METER	UB_LK_ACCT_METER	UB_LK_ACCT_METER	
UB_LK_ACCT_SERVICE	UB_LK_ACCT_SERVICE	UB_LK_ACCT_SERVICE	
UB_LK_METER_MASTER	UB_LK_METER_MASTER	UB_LK_METER_MASTER	
UB_LK_SERV_METER	UB_LK_SERV_METER	UB_LK_SERV_METER	
UB_MASTER	UB_MASTER	UB_MASTER	
UB_METER	UB_METER	UB_METER	
UB_METER_HIST	UB_METER_HIST	UB_METER_HIST	
UB_MOVEIN_MOVEOUT	UB_MOVEIN_MOVEOUT	UB_MOVEIN_MOVEOUT	
UB_PARM_METER_STEP	UB_PARM_METER_STEP	UB_PARM_METER_STEP	
UB_PARM_ROUTE_AVG	UB_PARM_ROUTE_AVG	UB_PARM_ROUTE_AVG	
UB_PARM_SERV_MRATE	UB_PARM_SERV_MRATE	UB_PARM_SERV_MRATE	
UB_PARM_SERV_RATE	UB_PARM_SERV_RATE	UB_PARM_SERV_RATE	
UB_PARM_SERVICES	UB_PARM_SERVICES	UB_PARM_SERVICES	
UB_POST_DETAIL	UB_POST_DETAIL	UB_POST_DETAIL	
NULL	NULL	UB_POST_HEADER	
UB_POST_MASTER	UB_POST_MASTER	UB_POST_MASTER	
UB_POST_METER	UB_POST_METER	UB_POST_METER	
NULL	NULL	UB_POST_TIER_USAGE	
UB_POSTING_TEMP	UB_POSTING_TEMP	UB_POSTING_TEMP	
UB_READINGS	UB_READINGS	UB_READINGS	
NULL	UB_WI_BILL_EX_DET	UB_WI_BILL_EX_DET	
NULL	UB_WI_BILL_EX_HDR	UB_WI_BILL_EX_HDR	
NULL	UB_WI_BILL_EX_MET	UB_WI_BILL_EX_MET	

User Configuration Tables (USR)			
Govern for Windows 10.8	Govern.NET 6.0.1803	Govern.NET 6.1.1811	2 Types - pre populated like SY, and other USR contain User defined info
USR_ACT_SECURITY	USR_ACT_SECURITY	USR_ACT_SECURITY	Notes
USR_ADDED_CMDBTN	USR_ADDED_CMDBTN	USR_ADDED_CMDBTN	
USR_ADDED_FIELDS	USR_ADDED_FIELDS	USR_ADDED_FIELDS	
USR_ADDED_LABELS	USR_ADDED_LABELS	USR_ADDED_LABELS	
NULL	USR_ADM_AUDIT_FIELD	USR_ADM_AUDIT_FIELD	Audit Trail tables created in User tables

NULL	USR_ADM_AUDIT_RECORD	USR_ADM_AUDIT_RECORD	Audit Trail tables created in User tables
NULL	USR_ADM_AUDIT_TRANS	USR_ADM_AUDIT_TRANS	Audit Trail tables created in User tables
USR_AUDIT_ADM	USR_AUDIT_ADM	NULL	Audit Trail tables created in User tables
USR_AUDIT_BATCH	USR_AUDIT_BATCH	NULL	Audit Trail tables created in User tables
NULL	USR_AUDIT_OPENFORMS	USR_AUDIT_OPENFORMS	USR_AUDIT_OPENFORMS - AUDIT_ID - AUDIT_ACTION - ENTITY_ID - FORM_CODE - USER_ID - AUDIT_DATE - IP_ADDRESS - SOURCE_COMPUTER_NAME - REMOTE_COMPUTER_NAME
NULL	USR_AUDIT_OPENFORMS_CHANGE	USR_AUDIT_OPENFORMS_CHANGE	USR_AUDIT_OPENFORMS_CHANGE - AUDIT_ID - ATTRIBUTE_ID - TABLE_NAME - COLUMN_NAME - OLD_VALUE - NEW_VALUE
NULL	USR_AUDIT_OPENFORMS_KEY	USR_AUDIT_OPENFORMS_KEY	USR_AUDIT_OPENFORMS_KEY - AUDIT_ID - ATTRIBUTE_ID - KEY_NAME - KEY_VALUE - IS_PRIMARY_KEY
USR_AUDIT_POSTING	USR_AUDIT_POSTING	USR_AUDIT_POSTING	Audit Trail tables created in User tables
USR_AUDIT_RPT	USR_AUDIT_RPT	USR_AUDIT_RPT	Audit Trail tables created in User tables
USR_AUDIT_TRAIL	USR_AUDIT_TRAIL	USR_AUDIT_TRAIL	USR_AUDIT_TRAIL Legacy table kept for modules running in prior releases; developers note new modifications and table structures impact for custom processes.
USR_BA_TRANSACTION	USR_BA_TRANSACTION	USR_BA_TRANSACTION	
NULL	USR_BATCH_ATTACH	USR_BATCH_ATTACH	
NULL	USR_BATCH_LOG	USR_BATCH_LOG	ADDED: to table USR_BATCH_LOG . Columns CURRENT_SUB_PROCESS indicates index of current sub process being executed. At end of BP, value reset to NULL. CURRENT_RECORD indicates index of record being processed. When BP ends, value reset to NULL. 6.1.1811 Other versions 6.1.1812, 6.0.1804
NULL	USR_BATCH_LOG_DTL	USR_BATCH_LOG_DTL	
USR_BATCH_MAIL	USR_BATCH_MAIL	USR_BATCH_MAIL	
USR_BATCH_UPDT	USR_BATCH_UPDT	USR_BATCH_UPDT	
USR_BILL_EXTRACT	USR_BILL_EXTRACT	USR_BILL_EXTRACT	
USR_BILL_EXTRACT1	USR_BILL_EXTRACT1	USR_BILL_EXTRACT1	
USR_BILL_EXTRACT2	USR_BILL_EXTRACT2	USR_BILL_EXTRACT2	
USR_BILL_EXTRACT3	USR_BILL_EXTRACT3	USR_BILL_EXTRACT3	
USR_BILL_EXTRACT3M	USR_BILL_EXTRACT3M	USR_BILL_EXTRACT3M	
USR_BILL_EXTRACT3S	USR_BILL_EXTRACT3S	USR_BILL_EXTRACT3S	
USR_BILL_EXTRACT4	USR_BILL_EXTRACT4	USR_BILL_EXTRACT4	
USR_BILL_EXTRACT5	USR_BILL_EXTRACT5	USR_BILL_EXTRACT5	
USR_BILL_EXTRACTE	USR_BILL_EXTRACTE	USR_BILL_EXTRACTE	
USR_BILL_MESSAGES	USR_BILL_MESSAGES	USR_BILL_MESSAGES	
NULL	USR_BP_DEF	USR_BP_DEF	ADDED: column IS_FTPS_SSL REASON: New option for xfer by FTPS or SSL
NULL	USR_BP_SCHEDULE	USR_BP_SCHEDULE	
NULL	USR_BP_SCHEDULE_RUN_LOG	NULL	
NULL	USR_BP_SCHEDULE_RUN_LOG_DTL	NULL	
USR_BROWSE	USR_BROWSE	USR_BROWSE	
USR_CAL_HOLIDAY	USR_CAL_HOLIDAY	USR_CAL_HOLIDAY	
USR_CALEDAR	USR_CALEDAR	USR_CALEDAR	
USR_CALEDAR_EX	USR_CALEDAR_EX	USR_CALEDAR_EX	
USR_CONSTANT	USR_CONSTANT	USR_CONSTANT	
NULL	NULL	USR_CONSTANT_VALUE	
USR_CRITERIA	USR_CRITERIA	USR_CRITERIA	
USR_DAEMON_BA_CTL	USR_DAEMON_BA_CTL	NULL	
USR_DAEMON_BATCH	USR_DAEMON_BATCH	USR_DAEMON_BATCH	
USR_DAEMON_ERRORS	USR_DAEMON_ERRORS	USR_DAEMON_ERRORS	
USR_DAEMON_ONLINE	USR_DAEMON_ONLINE	NULL	
USR_DAEMON_RECUR	USR_DAEMON_RECUR	USR_DAEMON_RECUR	
NULL	USR_DATA_MAPPING	USR_DATA_MAPPING	
USR_DEPARTMENT	USR_DEPARTMENT	USR_DEPARTMENT	
USR_DEPT_CAL_EX	USR_DEPT_CAL_EX	USR_DEPT_CAL_EX	
USR_DEPT_CALENDAR	USR_DEPT_CALENDAR	USR_DEPT_CALENDAR	
USR_DEPTFUNC	USR_DEPTFUNC	USR_DEPTFUNC	
USR_DEPTFUNCCTPT	USR_DEPTFUNCCTPT	USR_DEPTFUNCCTPT	
NULL	USR_EMAIL_LOG	USR_EMAIL_LOG	
NULL	USR_EMAIL_LOG_ATTACH	USR_EMAIL_LOG_ATTACH	
NULL	USR_EMAIL_LOG_ERROR	USR_EMAIL_LOG_ERROR	
NULL	USR_EMAIL_LOG_IDS	USR_EMAIL_LOG_IDS	
NULL	USR_EMAIL_TEMPLATE	USR_EMAIL_TEMPLATE	

NULL	USR_EMAIL_TEMPLATE_LK_REPORT	USR_EMAIL_TEMPLATE_LK_REPORT	
NULL	USR_EMAIL_TEMPLATE_RECIPIENT	USR_EMAIL_TEMPLATE_RECIPIENT	
USR_ERROR_LOG	USR_ERROR_LOG	USR_ERROR_LOG	
NULL	USR_EXPRESSION	USR_EXPRESSION	
NULL	NULL	USR_EXPRESSION_VALUE	
USR_EXT_APP	USR_EXT_APP	USR_EXT_APP	
NULL	USR_EXT_CMD	USR_EXT_CMD	
USR_FAQ	USR_FAQ	USR_FAQ	
USR_FIELDS_DEF	USR_FIELDS_DEF	USR_FIELDS_DEF	
USR_FIELDS_LABEL	USR_FIELDS_LABEL	USR_FIELDS_LABEL	
USR_FIELDS_MASK	USR_FIELDS_MASK	USR_FIELDS_MASK	
NULL	USR_FIELDS_NUMERIC_FORMAT	USR_FIELDS_NUMERIC_FORMAT	
USR_FORMULA	USR_FORMULA	USR_FORMULA	
NULL	USR_GIS_BOOKMARK	USR_GIS_BOOKMARK	
NULL	USR_GIS_QUERY	USR_GIS_QUERY	
NULL	USR_GIS_WINDOW	USR_GIS_WINDOW	
NULL	USR_HIBERNATE	USR_HIBERNATE	
USR_JURISDICTION	USR_JURISDICTION	USR_JURISDICTION	
NULL	USR_KEY_DYNAMIC	USR_KEY_DYNAMIC	
USR_KEY_MASTER	USR_KEY_MASTER	USR_KEY_MASTER	
USR_KEY_RECEIPT	USR_KEY_RECEIPT	USR_KEY_RECEIPT	
NULL	USR_LK_BP_MAIL	USR_LK_BP_MAIL	
NULL	USR_LK_BP_RPT	USR_LK_BP_RPT	
NULL	USR_LK_BP_RPT_PARM	USR_LK_BP_RPT_PARM	
USR_LK_CODETYPE_IN	USR_LK_CODETYPE_IN	USR_LK_CODETYPE_IN	
USR_LK_CODETYPE_VL	USR_LK_CODETYPE_VL	USR_LK_CODETYPE_VL	
USR_LK_FUNCT_DEPT	USR_LK_FUNCT_DEPT	USR_LK_FUNCT_DEPT	
USR_LK_FUNCT_QUERY	USR_LK_FUNCT_QUERY	USR_LK_FUNCT_QUERY	
USR_LK_FUNCT_RPT	USR_LK_FUNCT_RPT	USR_LK_FUNCT_RPT	
USR_LK_FUNCT_RULE	USR_LK_FUNCT_RULE	USR_LK_FUNCT_RULE	
USR_LK_GPID_APPL	USR_LK_GPID_APPL	USR_LK_GPID_APPL	
USR_LK_GPID_DEPT	USR_LK_GPID_DEPT	USR_LK_GPID_DEPT	
USR_LK_GPID_EXT_AP	USR_LK_GPID_EXT_AP	USR_LK_GPID_EXT_AP	
USR_LK_GPID_FLD	USR_LK_GPID_FLD	USR_LK_GPID_FLD	
USR_LK_GPID_FUNCT	USR_LK_GPID_FUNCT	USR_LK_GPID_FUNCT	
USR_LK_GPID_JURISD	USR_LK_GPID_JURISD	USR_LK_GPID_JURISD	
USR_LK_GPID_MATB	USR_LK_GPID_MATB	USR_LK_GPID_MATB	
USR_LK_GPID_MULTM	USR_LK_GPID_MULTM	USR_LK_GPID_MULTM	
USR_LK_GPID_RPT	USR_LK_GPID_RPT	USR_LK_GPID_RPT	
USR_LK_IN_WORKCODE	USR_LK_IN_WORKCODE	USR_LK_IN_WORKCODE	
USR_LK_JURISD	USR_LK_JURISD	USR_LK_JURISD	
USR_LK_MENU_ADM	USR_LK_MENU_ADM	USR_LK_MENU_ADM	
USR_LK_MENU_BATCH	USR_LK_MENU_BATCH	USR_LK_MENU_BATCH	
USR_LK_OF_CODETYPE	USR_LK_OF_CODETYPE	USR_LK_OF_CODETYPE	
USR_LK_PM_FORM	USR_LK_PM_FORM	NULL	
USR_LK_PM_WORKCODE	USR_LK_PM_WORKCODE	NULL	
USR_LK_PMINT_FLD	USR_LK_PMINT_FLD	USR_LK_PMINT_FLD	
USR_LK_PROCESS_RPT	USR_LK_PROCESS_RPT	USR_LK_PROCESS_RPT	
NULL	USR_LK_PROFILE_AR	USR_LK_PROFILE_AR	
NULL	USR_LK_PROFILE_BP	USR_LK_PROFILE_BP	
NULL	USR_LK_PROFILE_EXT_CMD	USR_LK_PROFILE_EXT_CMD	
NULL	USR_LK_PROFILE_INDEX	NULL	REMOVED: USR_LK_PROFILE_INDEX REASON: replaced by USR_SEARCH_GROUP_INDEX
NULL	USR_LK_PROFILE_OF	USR_LK_PROFILE_OF	
NULL	USR_LK_PROFILE_QRY	NULL	REMOVED: Table USR_LK_PROFILE_QRY and column QUERIES_GUID. ADDED: table USR_PROFILE_TILE
NULL	USR_LK_PROFILE_RPT	USR_LK_PROFILE_RPT	
NULL	USR_LK_RPT_CONN	USR_LK_RPT_CONN	
USR_LK_RPT_DEPT	USR_LK_RPT_DEPT	USR_LK_RPT_DEPT	
NULL	USR_LK_RPT_KEYWORD	USR_LK_RPT_KEYWORD	
USR_LK_UID_APPL	USR_LK_UID_APPL	USR_LK_UID_APPL	
USR_LK_UID_DEPT	USR_LK_UID_DEPT	USR_LK_UID_DEPT	
USR_LK_UID_EXT_APP	USR_LK_UID_EXT_APP	USR_LK_UID_EXT_APP	
USR_LK_UID_FLD	USR_LK_UID_FLD	USR_LK_UID_FLD	
USR_LK_UID_FUNCT	USR_LK_UID_FUNCT	USR_LK_UID_FUNCT	
USR_LK_UID_MATB	USR_LK_UID_MATB	USR_LK_UID_MATB	
USR_LK_UID_MULTM	USR_LK_UID_MULTM	USR_LK_UID_MULTM	
USR_LK_UID_RPT	USR_LK_UID_RPT	USR_LK_UID_RPT	
USR_LK_UID_WFLOW	USR_LK_UID_WFLOW	USR_LK_UID_WFLOW	
USR_LK_VL_REMED	USR_LK_VL_REMED	USR_LK_VL_REMED	
USR_LOGEXP	USR_LOGEXP	USR_LOGEXP	
NULL	USR_MENU	USR_MENU	
NULL	USR_MESSAGE	USR_MESSAGE	
NULL	NULL	USR_MESSAGE_TEMPLATE	
USR_OPTIONS	USR_OPTIONS	USR_OPTIONS	
NULL	USR_PARM_BP_MAPPING	USR_PARM_BP_MAPPING	
NULL	USR_PARM_MATIX	USR_PARM_MATIX	ADDED: columns USER_NAME and PASSWORD to USR_PARM_MATIX. REASON to be able to setup in GNA Matix Config Editor a secured client map by Username and Passwd ADDED: 5 fields in USR_PARM_MATIX. MAP_EXTENT_XMIN, MAP_EXTENT_XMAX, MAP_EXTENT_YMIN, MAP_EXTENT_YMAX, SPATIAL_REFERENCE_ID. REASON: Map Extent
NULL	USR_PARM_MATIX_BASEMAP	USR_PARM_MATIX_BASEMAP	
NULL	USR_PARM_MATIX_THEMEMAP	USR_PARM_MATIX_THEMEMAP	
USR_PROCESS_LOG	USR_PROCESS_LOG	USR_PROCESS_LOG	
NULL	USR_PROFILE	USR_PROFILE	Fields removed from USR_PROFILE ORG_NBR, GROUP_CODE, JURISDICTION_CODE, OWNER_MM, OWNER_Y, NB_REC_WARN, NB_MIN_ROLLBACK V6.0 ADDED: Column QUERIES_GUID in table USR_PROFILE. REASON: Change from Profile Queries to Profile Tiles. Not using Profile Queries anymore, table and column removed.
NULL	USR_PROFILE_BRULE_DESC	USR_PROFILE_BRULE_DESC	

NULL	NULL	USR_PROFILE_TILE	ADDED: table USR_PROFILE_TILE, REMOVED: Table USR_LK_PROFILE_QRY and column QUERIES_GUID.
NULL	USR_PZ_SETTING	USR_PZ_SETTING	
USR_QUERY	USR_QUERY	USR_QUERY	
USR_QUERY_PARMS	USR_QUERY_PARMS	USR_QUERY_PARMS	
USR_QUERY_UPDT	USR_QUERY_UPDT	USR_QUERY_UPDT	
NULL	NULL	USR_QUERY_VALUE	
USR_QUERY2	USR_QUERY2	USR_QUERY2	
NULL	USR_RECENT_TBL_CHANGE	USR_RECENT_TBL_CHANGE	
USR_REGISTRY	USR_REGISTRY	USR_REGISTRY	
USR_REPORT_DEF	USR_REPORT_DEF	USR_REPORT_DEF	NEW - ADDED: Added a field EMAIL_CODE Varchar(15). Contain an Email Template code. REASON - Option to send a report by email, will override the system parameter.
NULL	USR_SAVED_DATASETS	USR_SAVED_DATASETS	
NULL	NULL	USR_SEARCH_GROUP_INDEX	ADDED: USR_SEARCH_GROUP_INDEX REASON: removed USR_LK_PROFILE_INDEX
NULL	USR_SK_JET_COLOPT	USR_SK_JET_COLOPT	
NULL	USR_SK_JET_DB	USR_SK_JET_DB	
NULL	USR_SK_JET_EXTRACT	USR_SK_JET_EXTRACT	
NULL	USR_SK_JET_KEYS	USR_SK_JET_KEYS	
NULL	USR_SK_JET_RESULTS	USR_SK_JET_RESULTS	
USR_SUBS_PLAN_DEF	USR_SUBS_PLAN_DEF	USR_SUBS_PLAN_DEF	
USR_TEMP_LOGIN	USR_TEMP_LOGIN	USR_TEMP_LOGIN	
USR_TEXT	USR_TEXT	USR_TEXT	
NULL	USR_TEXT_STYLE	USR_TEXT_STYLE	
USR_TRACK	USR_TRACK	USR_TRACK	
NULL	USR_TRIGGER	USR_TRIGGER	
NULL	USR_TRIGGER_ACTION	USR_TRIGGER_ACTION	
USR_USERFILE	USR_USERFILE	USR_USERFILE	GLOBAL KEY allows linking of Workflow and global messages to users. U_ID field added to USR_USERFILE - V6.0 NEW - ADDED: Added column CAN_POST_ALL_DEPOSITS REASON: Added to allow logged in users to post deposit numbers created by other users. Option will be used in all batch processes that posts deposit numbers.
USR_VT_CONTROL	USR_VT_CONTROL	NULL	
USR_VT_HEADER	USR_VT_HEADER	NULL	
NULL	USR_WEB_HPGTRANSACTIONS	USR_WEB_HPGTRANSACTIONS	
NULL	USR_WEB_LK_GRP_STY	USR_WEB_LK_GRP_STY	
NULL	USR_WEB_LK_SITE_CC	USR_WEB_LK_SITE_CC	
NULL	USR_WEB_LK_STY_OBJ	USR_WEB_LK_STY_OBJ	
NULL	USR_WEB_LOG	USR_WEB_LOG	
NULL	USR_WEB_LOGIN_HIST	USR_WEB_LOGIN_HIST	
NULL	USR_WEB_MAC_HIST	USR_WEB_MAC_HIST	
NULL	USR_WEB_MENU_PARAM	USR_WEB_MENU_PARAM	
NULL	USR_WEB_PROF_MENU	USR_WEB_PROF_MENU	
NULL	USR_WEB_SEARCH_GRP	USR_WEB_SEARCH_GRP	
NULL	USR_WEB_SEARCH_OBJ	USR_WEB_SEARCH_OBJ	
NULL	USR_WEB_SEARCH_STY	USR_WEB_SEARCH_STY	
NULL	USR_WEB_SITE	USR_WEB_SITE	NEW - ADDED: New columns added CONTROL_TOOLTIP_WB, ALLOW_APPLY_DISTR NEW - DROPPED: The following coluns have been dropped, SHOW_SPLIT_PERIOD, SHOW_ZERO_BAL, PAYMENT_TYPE. NEW - ADDED: Added columns SHOW_SPLIT_PERIOD
NULL	USR_WEB_SITE_PRCR	USR_WEB_SITE_PRCR	NEW - ADDED: New field PAYM_POSTIPADD sets list of IP addresses allowed to trigger process payment for Paymentus Payment Interface. NEW - ADDED: New field PAYM_ENCRYPTED to activate parameters transaction encryption when parameters are sent to paymentus NEW - ADDED: Add new field PAYM_ENCRYPTEDKEY is encryption key provided by Paymentus to encrypt data sent to paymentus. NEW - ADDED: Add new field PAYM_ACCTFORMAT is mask used to format acct. num. sent to paymentus
NULL	USR_WEB_SKIN	USR_WEB_SKIN	
USR_WORKFLOW	USR_WORKFLOW	USR_WORKFLOW	
USR_WORKFLOW_DEF	USR_WORKFLOW_DEF	USR_WORKFLOW_DEF	

System Validation Tables GfW (VT_SY_)			All VT_SY were made sub to VT_SYSTEM in OpenForms NEW: Length of TABLE_NAMES of VT User and VT System increased from 15 to 30 characters
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
VT_SY_AB_SORT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ACCESS	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ACHFLAG	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ACTION	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ACTION_1	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ACTUECON	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ADMIN	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ALLOWTYP	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_APP_MISC	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_APPL	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_APPLY_TO	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ARAPFILE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ART1TYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ARTRKIND	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_ARTRTYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_BANKACCT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_BASEXEMP	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_BEf_AFT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_BRULE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_CA_ETYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_CARISTYP	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_CASE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_CCPMT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_CCPROC	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_CCTYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_CLEANGR	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_COUNTRY	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_CR_SUBM	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters

[illegible]

VT_SY_PM49DISP	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PM49SORT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PM77SORT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PMACTSTA	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PMFEFLD	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PMKIND	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PMKIND1	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PMKIND2	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PMPER	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PP01DISP	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PP01SORT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PRJ_STAT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PROCESS	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PRORAT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_PWDSEC	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_RBQCLASS	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_RBQNATUR	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_READING	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_RENTTYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_REPORTS	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_RPT_OPT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SALESVI	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SAPERIOD	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SCHEDULE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SERVTYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SEXE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SITELB	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SOILCL	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SPCOMMTS	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SQDSTYP	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_STATUS	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SU02SORT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SUBSYS	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SYSINTER	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_SZMETHOD	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_TB_TYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_TIME_PER	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_TIMEPM	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_TIMEUNIT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_TR_CODE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_TRUEFALS	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_TXEXTYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_TXMETHOD	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_TXRATETY	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_UB125SORT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_UBACHST	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_UBACTION	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_UBACTTYP	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_UBOVERTY	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_UBSORT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_USR_TYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBCBDISP	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBCCTYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBCTRLTY	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBFTACC	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBHALIGN	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBLGIDEN	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBPAYTYP	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBSUBSPL	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBSUBST	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBTRTYPE	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WBVALIGN	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WMNUCOMP	VT_SY_WMNUCOMP	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WMNUITKD	VT_SY_WMNUITKD	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WMNULEVL	VT_SY_WMNULEVL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WMNUUACC	VT_SY_WMNUUACC	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WMNUUREF	VT_SY_WMNUUREF	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_WPROCESS	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_YEARPER	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_YESNO	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_YESNOINT	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters
VT_SY_YESNOPR	NULL	NULL	NEW: Length of TABLE_NAMES of VT System increased from 15 to 30 characters

System Validation Tables OpenForms			System and User Tables now validated and compared against standard structure XML file
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
NULL	VT_SYSTEM	VT_SYSTEM	
NULL	VT_SYSTEM_ADD_FLDS	NULL	
NULL	VT_SYSTEM_ADD_VALS	NULL	
NULL	NULL	VT_SYSTEM_ADDED_FIELDS	
NULL	NULL	VT_SYSTEM_TABLE	
NULL	NULL	VT_SYSTEM_TABLE_ADDED_FIELDS	

User Validation Tables OpenForms (VT_USER)			System and User Tables now validated and compared against standard structure XML file. NEW: TABLE_NAMES of VT User and VT System increased to 30
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
NULL	VT_USER	VT_USER	CHANGE: VT_USER code column size change 15 to 36. REASON: table_name PROFILE_TILE will store GUID of Profile Tile in Code column of VT_USER

NULL	VT_USER_ADD_FIELDS	NULL	NEW: Length of TABLE_NAMES of VT User's increased from 15 to 30 characters
NULL	VT_USER_ADD_VALUE	NULL	NEW: Length of TABLE_NAMES of VT User's increased from 15 to 30 characters
NULL	NULL	VT_USER_ADDED_FIELDS	NEW: Length of TABLE_NAMES of VT User's increased from 15 to 30 characters
NULL	NULL	VT_USER_TABLE	NEW: Length of TABLE_NAMES of VT User's increased from 15 to 30 characters
NULL	NULL	VT_USER_TABLE_ADDED_FIELDS	NEW: Length of TABLE_NAMES of VT User's increased from 15 to 30 characters

User Validation Tables GFW (VT_USR)			All VT_USR tables were made sub to VT_USER for OpenForms
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
VT_USR_AB_DISP	NULL	NULL	
VT_USR_AB_INST	NULL	NULL	
VT_USR_AB_STAT	NULL	NULL	
VT_USR_AC_DEPR	NULL	NULL	
VT_USR_AC_EQUIP	NULL	NULL	
VT_USR_AC_MFG	NULL	NULL	
VT_USR_AC_MODEL	NULL	NULL	
VT_USR_AC_OVERH	NULL	NULL	
VT_USR_ACTDESC	NULL	NULL	
VT_USR_ALLOWDIM	NULL	NULL	
VT_USR_ALLOWDSC	NULL	NULL	
VT_USR_ALLOWED	NULL	NULL	
VT_USR_AMPER	NULL	NULL	
VT_USR_AR_CLASS	NULL	NULL	
VT_USR_ARALERT	NULL	NULL	
VT_USR_ARCHARGE	NULL	NULL	
VT_USR_ARCYCLE	NULL	NULL	
VT_USR_AREAID	NULL	NULL	
VT_USR_AREATYPE	NULL	NULL	
VT_USR_ARPROT	NULL	NULL	
VT_USR_ARREASON	NULL	NULL	
VT_USR_ARTICLE	NULL	NULL	
VT_USR_ARWARNC	NULL	NULL	
VT_USR_ASREASON	NULL	NULL	
VT_USR_BANKEND	NULL	NULL	
VT_USR_BATCHNO	NULL	NULL	
VT_USR_BILLPARM	NULL	NULL	
VT_USR_BILLYEAR	NULL	NULL	
VT_USR_BLDGUSE	NULL	NULL	
VT_USR_BOOKNO	NULL	NULL	
VT_USR_BRAND	NULL	NULL	
VT_USR_BREED	NULL	NULL	
VT_USR_BTCCOLOR	NULL	NULL	
VT_USR_BTMAKE	NULL	NULL	
VT_USR_BTTYPE	NULL	NULL	
VT_USR_BTTYPE	NULL	NULL	
VT_USR_CARISIMG	NULL	NULL	
VT_USR_CCTYPE	NULL	NULL	
VT_USR_CGREASON	NULL	NULL	
VT_USR_CHKBOOK	NULL	NULL	
VT_USR_CITYDS	NULL	NULL	
VT_USR_CLUSTER	NULL	NULL	
VT_USR_CODE_I	NULL	NULL	
VT_USR_CODE_R	NULL	NULL	
VT_USR_CODELIST	NULL	NULL	
VT_USR_CODELOI	NULL	NULL	
VT_USR_CODETYPE	NULL	NULL	
VT_USR_COLLAGCY	NULL	NULL	
VT_USR_COLOR	NULL	NULL	
VT_USR_COMPONENT	NULL	NULL	
VT_USR_CONSTANT	NULL	NULL	
VT_USR_CONTRIB	NULL	NULL	
VT_USR_COSTCODE	NULL	NULL	
VT_USR_COTYPE	NULL	NULL	
VT_USR_DEPART	NULL	NULL	
VT_USR_DEPCOACT	NULL	NULL	
VT_USR_DEPINF	NULL	NULL	
VT_USR_DEPOFACT	NULL	NULL	
VT_USR_DEPPMACT	NULL	NULL	
VT_USR_DEPSTAT	NULL	NULL	
VT_USR_DESIG_TY	NULL	NULL	
VT_USR_DICTVIEW	NULL	NULL	
VT_USR_DISPO	NULL	NULL	
VT_USR_DOGOWN	NULL	NULL	
VT_USR_DOGSTAT	NULL	NULL	
VT_USR_DRAWF	NULL	NULL	
VT_USR_DRAWING	NULL	NULL	
VT_USR_ENC_TYPE	NULL	NULL	
VT_USR_ETYPE	NULL	NULL	
VT_USR_EXCEPT	NULL	NULL	
VT_USR_EXCODE	NULL	NULL	
VT_USR_EXCODEAC	NULL	NULL	
VT_USR_EXCODEBT	NULL	NULL	
VT_USR_EXCODEMV	NULL	NULL	
VT_USR_EXCODEPP	NULL	NULL	
VT_USR_EXEMPT	NULL	NULL	
VT_USR_EXEMPTAC	NULL	NULL	
VT_USR_EXEMPTBT	NULL	NULL	

VT_USR_EXEMPTMV	NULL	NULL	
VT_USR_EXEMPTNA	NULL	NULL	
VT_USR_EXEMPTPP	NULL	NULL	
VT_USR_EXTPTYPE	NULL	NULL	
VT_USR_FEE_IDX	NULL	NULL	
VT_USR_FIREDS	NULL	NULL	
VT_USR_FIREPREV	NULL	NULL	
VT_USR_FLAT_CD	NULL	NULL	
VT_USR_FLDZONE	NULL	NULL	
VT_USR_FLOODPLA	NULL	NULL	
VT_USR_FORMULA	NULL	NULL	
VT_USR_GL_CODE	NULL	NULL	
VT_USR_GROUP	NULL	NULL	
VT_USR_HAZARD1	NULL	NULL	
VT_USR_HAZARD2	NULL	NULL	
VT_USR_HAZARD3	NULL	NULL	
VT_USR_HAZARD4	NULL	NULL	
VT_USR_IMGTYPE	NULL	NULL	
VT_USR_INCADJ	NULL	NULL	
VT_USR_INCFIELD	NULL	NULL	
VT_USR_INCGROUP	NULL	NULL	
VT_USR_INCNBHD	NULL	NULL	
VT_USR_INCOLTY	NULL	NULL	
VT_USR_INCQUA	NULL	NULL	
VT_USR_INCUNIT	NULL	NULL	
VT_USR_INSPECT	NULL	NULL	
VT_USR_INSPTER	NULL	NULL	
VT_USR_INSTALL	NULL	NULL	
VT_USR_ISSUED	NULL	NULL	
VT_USR_JURISD	NULL	NULL	
VT_USR_L_ASSMT	NULL	NULL	
VT_USR_LANDCL	NULL	NULL	
VT_USR_LANDSCHD	NULL	NULL	
VT_USR_LANDUSE	NULL	NULL	
VT_USR_LEGALFOR	NULL	NULL	
VT_USR_LETTER_C	NULL	NULL	
VT_USR_LEVYCOAC	NULL	NULL	
VT_USR_LEVYCOBT	NULL	NULL	
VT_USR_LEVYCODE	NULL	NULL	
VT_USR_LEVYCOMV	NULL	NULL	
VT_USR_LEVYCOPP	NULL	NULL	
VT_USR_LEVYTYPE	NULL	NULL	
VT_USR_LK_TYPE	NULL	NULL	
VT_USR_LNAMEST	NULL	NULL	
VT_USR_LOGEXP	NULL	NULL	
VT_USR_LUSE	NULL	NULL	
VT_USR_MA_CHNG	NULL	NULL	
VT_USR_MA_OVER	NULL	NULL	
VT_USR_MA_TABLE	NULL	NULL	
VT_USR_MAACTV	NULL	NULL	
VT_USR_MAADJTP	NULL	NULL	
VT_USR_MAENTRY	NULL	NULL	
VT_USR_MAFRATE	NULL	NULL	
VT_USR_MAINFSRC	NULL	NULL	
VT_USR_MARITALS	NULL	NULL	
VT_USR_MAROUND	NULL	NULL	
VT_USR_MB_ITEMS	NULL	NULL	
VT_USR_MB_TEMPL	NULL	NULL	
VT_USR_MCR_GRP	NULL	NULL	
VT_USR_MEETING	NULL	NULL	
VT_USR_MESSBILL	NULL	NULL	
VT_USR_MESSTAT	NULL	NULL	
VT_USR_MESTYPE	NULL	NULL	
VT_USR_METER_CD	NULL	NULL	
VT_USR_METERATE	NULL	NULL	
VT_USR_MISCADJT	NULL	NULL	
VT_USR_MISCCOND	NULL	NULL	
VT_USR_MISCGRAD	NULL	NULL	
VT_USR_MODEL	NULL	NULL	
VT_USR_MRAMODEL	NULL	NULL	
VT_USR_MTRLLOC	NULL	NULL	
VT_USR_MTRPULSE	NULL	NULL	
VT_USR_MTRSIZE	NULL	NULL	
VT_USR_MUNGRP	NULL	NULL	
VT_USR_MVCLSCOD	NULL	NULL	
VT_USR_MVCOLOR	NULL	NULL	
VT_USR_MVMAKE	NULL	NULL	
VT_USR_NAMECODE	NULL	NULL	
VT_USR_NAMEGRP	NULL	NULL	
VT_USR_NAMEPRX	NULL	NULL	
VT_USR_NAMESFX	NULL	NULL	
VT_USR_NBHD	NULL	NULL	
VT_USR_NEIGHBOR	NULL	NULL	
VT_USR_NEIGHSUB	NULL	NULL	
VT_USR_OCCTYPE	NULL	NULL	
VT_USR_OFFENCE	NULL	NULL	

VT_USR_OFTYPE	NULL	NULL	
VT_USR_ORIGIN	NULL	NULL	
VT_USR_OWSOURCE	NULL	NULL	
VT_USR_PARCEL	NULL	NULL	
VT_USR_PARKDS	NULL	NULL	
VT_USR_PAYCODE	NULL	NULL	
VT_USR_PLCKCAT	NULL	NULL	
VT_USR_PLCKDSCT	NULL	NULL	
VT_USR_PLCKVALT	NULL	NULL	
VT_USR_PLCKYEAR	NULL	NULL	
VT_USR_PMACTAW	NULL	NULL	
VT_USR_PMCOND	NULL	NULL	
VT_USR_PMCONDCA	NULL	NULL	
VT_USR_PMCONDST	NULL	NULL	
VT_USR_PMCONDTY	NULL	NULL	
VT_USR_PMDIVIS	NULL	NULL	
VT_USR_PMDOC	NULL	NULL	
VT_USR_PMEVENT	NULL	NULL	
VT_USR_PMEVENTC	NULL	NULL	
VT_USR_PMEVENTD	NULL	NULL	
VT_USR_PMFEE	NULL	NULL	
VT_USR_PMFELD	NULL	NULL	
VT_USR_PMFLD_A	NULL	NULL	
VT_USR_PMFLD_AL	NULL	NULL	
VT_USR_PMFLD_B	NULL	NULL	
VT_USR_PMFLD_BL	NULL	NULL	
VT_USR_PMFLD_BN	NULL	NULL	
VT_USR_PMFLD_CO	NULL	NULL	
VT_USR_PMFLD_D	NULL	NULL	
VT_USR_PMFLD_E	NULL	NULL	
VT_USR_PMFLD_G	NULL	NULL	
VT_USR_PMFLD_L	NULL	NULL	
VT_USR_PMFLD_LP	NULL	NULL	
VT_USR_PMFLD_OF	NULL	NULL	
VT_USR_PMFLD_P	NULL	NULL	
VT_USR_PMFLD_PA	NULL	NULL	
VT_USR_PMFLD_PN	NULL	NULL	
VT_USR_PMINTYRE	NULL	NULL	
VT_USR_PMINTYST	NULL	NULL	
VT_USR_PMNAME	NULL	NULL	
VT_USR_PMREC	NULL	NULL	
VT_USR_PMSERV	NULL	NULL	
VT_USR_PMSUBTYP	NULL	NULL	
VT_USR_PMTYPE	NULL	NULL	
VT_USR_PMUSE	NULL	NULL	
VT_USR_POLLING	NULL	NULL	
VT_USR_PP_ADJ	NULL	NULL	
VT_USR_PP_DEPR	NULL	NULL	
VT_USR_PP_TABLE	NULL	NULL	
VT_USR_PPCOSTCD	NULL	NULL	
VT_USR_PPGRCAT	NULL	NULL	
VT_USR_PRECINCT	NULL	NULL	
VT_USR_PREDOM	NULL	NULL	
VT_USR_PRIORITY	NULL	NULL	
VT_USR_PRJ_TYPE	NULL	NULL	
VT_USR_PROPTYPE	NULL	NULL	
VT_USR_PRTBILL	NULL	NULL	
VT_USR_PUSE	NULL	NULL	
VT_USR_QUAL	NULL	NULL	
VT_USR_QUERY	NULL	NULL	
VT_USR_QUERY2	NULL	NULL	
VT_USR_REBDOG	NULL	NULL	
VT_USR_REF_TC	NULL	NULL	
VT_USR_REPORTS	NULL	NULL	
VT_USR_REQUIREM	NULL	NULL	
VT_USR_RESTRIC	NULL	NULL	
VT_USR_ROLLSECT	NULL	NULL	
VT_USR_RPT_LEV1	NULL	NULL	
VT_USR_RPT_LEV2	NULL	NULL	
VT_USR_RWOWER	NULL	NULL	
VT_USR_SACDCODE	NULL	NULL	
VT_USR_SADEFER	NULL	NULL	
VT_USR_SALADJ	NULL	NULL	
VT_USR_SALECOMP	NULL	NULL	
VT_USR_SALINS	NULL	NULL	
VT_USR_SATRCODE	NULL	NULL	
VT_USR_SDIST	NULL	NULL	
VT_USR_SECADD	NULL	NULL	
VT_USR_SEX1	NULL	NULL	
VT_USR_SIZEADJT	NULL	NULL	
VT_USR_SPECDS	NULL	NULL	
VT_USR_SSUBTYPE	NULL	NULL	
VT_USR_ST_CATEG	NULL	NULL	
VT_USR_ST_EXEMP	NULL	NULL	
VT_USR_ST_LEVY	NULL	NULL	
VT_USR_ST_PER	NULL	NULL	

VT_USR_STATCOMP	NULL	NULL	
VT_USR_STATE	NULL	NULL	
VT_USR_STRDIR	NULL	NULL	
VT_USR_STRTYPE	NULL	NULL	
VT_USR_SU_ISSUE	NULL	NULL	
VT_USR_SU_TOPIC	NULL	NULL	
VT_USR_SUBMODEL	NULL	NULL	
VT_USR_SUBSNAME	NULL	NULL	
VT_USR_SUBTYPE	NULL	NULL	
VT_USR_SYMBOL	NULL	NULL	
VT_USR_TIMEADJT	NULL	NULL	
VT_USR_TIMECOST	NULL	NULL	
VT_USR_TREE	NULL	NULL	
VT_USR_TTITLE	NULL	NULL	
VT_USR_TXACTV	NULL	NULL	
VT_USR_TXBLOCK	NULL	NULL	
VT_USR_TXCAP	NULL	NULL	
VT_USR_TXCODE	NULL	NULL	
VT_USR_TXCODEAC	NULL	NULL	
VT_USR_TXCODEBT	NULL	NULL	
VT_USR_TXCODEMV	NULL	NULL	
VT_USR_TXCODEPP	NULL	NULL	
VT_USR_TXENTRY	NULL	NULL	
VT_USR_TXINFSRC	NULL	NULL	
VT_USR_UBCYCLE	NULL	NULL	
VT_USR_UBRATCOD	NULL	NULL	
VT_USR_UBREASON	NULL	NULL	
VT_USR_UBSERV	NULL	NULL	
VT_USR_UMEASURE	NULL	NULL	
VT_USR_VACCIN	NULL	NULL	
VT_USR_VAREASON	NULL	NULL	
VT_USR_VIOLATIO	NULL	NULL	
VT_USR_VL_FLOOR	NULL	NULL	
VT_USR_VL_LOC	NULL	NULL	
VT_USR_VL_PLACE	NULL	NULL	
VT_USR_VL_REMED	NULL	NULL	
VT_USR_VL_STAT	NULL	NULL	
VT_USR_WARD	NULL	NULL	
VT_USR_WL_ZONE	NULL	NULL	
VT_USR_WMNUNAME	NULL	NULL	
VT_USR_WORKCODE	NULL	NULL	
VT_USR_WORKDONE	NULL	NULL	
VT_USR_WORKFLOW	NULL	NULL	
VT_USR_ZONING	NULL	NULL	

Workflow Management (WM)			
<i>Govern for Windows 10.8</i>	<i>Govern.NET 6.0.1803</i>	<i>Govern.NET 6.1.1811</i>	Notes
NULL	NULL	WM_ACTION_LOG	ADDED: column STATUS_ID to the table WM_ACTION_LOG. This column references WM_ACTIVITY_STATUS.STATUS_ID. REASON: column is req'd to know which actions were originated by Activity Status especially when actions need to be undone.
NULL	NULL	WM_ACTIVITY_STATUS	ADDED: column STEP_STATUS_ID; generated from USR_KEY_DYNAMIC and unique for each step. REASON: same workflow can have multiple instances of the same step, even a step that is followed by the same step. STEP_STATUS_ID required to identify each instance of a step.
NULL	NULL	WM_INSP_INFO	
NULL	NULL	WM_INSPECTION	
NULL	NULL	WM_INSPECTION_LINKED_IDS	
NULL	NULL	WM_INSPECTION_TYPE	
NULL	NULL	WM_INSPECTION_TYPE_CODE	
NULL	NULL	WM_INSPECTOR	
NULL	NULL	WM_LINKED_IDS	
NULL	NULL	WM_LK_INSP_INTYPE	
NULL	NULL	WM_MASTER	ADDED: Column DEPT added for upgd from 5.2 to 6.1. REASON: couldn't find related department on workflow record.
			ADDED: column START_DATE to table WM_MASTER. START_DATE is standard field for workflow (same as EXPIRATION_DATE from the same table). When client is using field it will be added as added field in Kind or Category.
NULL	NULL	WM_PARM_ACTIVITY	
NULL	NULL	WM_PARM_ACTIVITY_LK_ACTION	
NULL	NULL	WM_PARM_CATEGORY	
NULL	NULL	WM_PARM_CATEGORY_LK_LINK_TYPE	
NULL	NULL	WM_PARM_CATEGORY_WEB	NEW - ADDED: Added new Table REASON: Added Settings used by eGovern workflow.
NULL	NULL	WM_PARM_CATEGORY_WEB_ATTACH	NEW - ADDED: Added new Table REASON: Added Settings used by eGovern workflow.
NULL	NULL	WM_PARM_DEPARTMENT	
NULL	NULL	WM_PARM_FEE	
NULL	NULL	WM_PARM_KIND	
NULL	NULL	WM_PARM_LINK_TYPE	
NULL	NULL	WM_PARM_STEP	
NULL	NULL	WM_PARM_STEP_LK_ACTION	
NULL	NULL	WM_PARM_STEP_LK_ACTIVITY	
NULL	NULL	WM_PARM_STEP_LK_STATUS	NEW - ADDED: Field added AUTO_COMPLETE_EXPRESSION (Varchar(Max)). REASON: Optional Expression to 'Auto Complete' step after saving Workflow
NULL	NULL	WM_PARM_TYPE	
NULL	NULL	WM_SET	
NULL	NULL	WM_SET_DETAIL	
NULL	NULL	WM_TIME_OFF	
NULL	NULL	WM_WORK_HOURS	